



6929 N. Lakewood Avenue  
Tulsa, OK 74117

**PUBLIC NOTICE OF NETWORK CHANGE UNDER RULE 51.329(a)**

August 22, 2018

**Carrier:** Verizon New Jersey Inc., One Verizon Way, Basking Ridge, NJ 07920

**Contact:** For additional information on these planned network changes, please contact:

Lisa Thompson  
Global Data Network Engineering  
Verizon Wireline Network Operations  
13100 Columbia Pike, Floor 5 Room 505  
Silver Spring, MD 20904  
443-862-0212

John Dunne  
Senior Manager – Global Data Network Engineering  
Verizon Wireline Network Operations  
2147 Route 27  
Edison, NJ 08817  
732-593-4003

**Implementation Date:** On or after March 30, 2019

**Planned Network Change(s) will occur at the following locations in New Jersey:**

Verizon Central Office	Address	CLLI
PENNINGTON EWSD Switch	15 Laning Avenue, Pennington NJ 08534	<b>PNTNNJPNDS6</b>
CAMDEN CS2K Switch	12 N 7 <sup>TH</sup> Street, Camden NJ 08104	<b>CMDNNJCEPS0</b>

This notice may also be viewed at <http://www.verizon.com/about/terms-conditions/network-disclosures>

PLEASE NOTE:

- All references to the Pennington NJ EWSD switch are associated with CLLI code PNTNNJPNDS6 and will not be repeated throughout this notice.
- All references to the Camden NJ CS2K switch are associated with CLLI code CMDNNJCEPS0 and will not be repeated throughout this notice.

**Description of the Planned Network Change(s):**

The Verizon Pennington EWSD switch located at 15 Laning Avenue, Pennington, NJ 08534, will be retired and removed from the network after all traffic served by this switch is migrated to the Verizon Camden CS2K switch located at 12 N.7<sup>th</sup> Street, Camden, NJ 08104. All traffic to be migrated includes, but is not limited to, Inter-LATA (ACCESS/FG-B-D/CLEC/IXC), wireless, and paging traffic.

**Description of Reasonably Foreseeable Impact(s) of the Planned Change(s):**

Competitive local exchange carriers (CLECs), interexchange carriers (IXCs, IECs), wireless carriers, and paging carriers, will need to secure new trunk groups built to the Camden CS2K switch or have existing trunk groups to that switch augmented. Carriers that are code holders for access connectivity in the Pennington switch will be required to reposition the codes to the Camden CS2K switch.

All ASRs for the Camden CS2K switch must be received no later than March 7, 2019 in order to provide sufficient time to migrate the traffic described above. These direct end office trunk (DEOT) interconnections will support traffic migration for the Pennington EWSD switch, prior to its eventual decommissioning. Local Exchange Routing Guide (LERG) change effective dates will be posted prior to decommissioning of the Pennington EWSD switch (**on or after March 30, 2019**). This will serve to guide interconnect re-routes of traffic for the three (3) native codes currently served by the Pennington EWSD switch to reflect the Camden CS2K switch as the new home switch. All ASRs for the Camden CS2K switch must carry the project code of **PNTNNJPNRP0**.