

# **EXHIBIT 1**

A	B	C	D	E	F	G	H	I	J
Property No.	MDU Property Address	Municipality	No. of Living Units	MDU Owner (Landlord)	MDU Managing Agent Co.	Contact Name	Mailing Notes	Refusal Code*	Build Code*
7005263-1	1661 YORK AV	MANHATTAN	64	Supreme Company, LLC	Manocherian Brothers Inc.	Brian Broxmeyer	Notices sent on 07/14/2014 & 03/14/2011	P	B
7006402-1	227 3 AV	MANHATTAN	189	Missionary Sisters et al	Halstead Management Co. LLC	Michael Tambasco	Notices sent on 06/30/2014 & 04/09/2013	P	F
7006404-1	295 PARK AV S	MANHATTAN	179	Abington Holding		Michelle Zilberberg	Notices sent on 01/06/2014 & 05/23/2011	P	F
7007125-1	224 E 51 ST	MANHATTAN	28	Kane & Moss LLC	Judson Realty LLC	Rose Moss	Notices sent on 02/28/2014 & 08/12/2014	P	A
7009685-2	30 SUTTON PL	MANHATTAN	47	30 Sutton Place Corp.	Brown Harris Stevens	Louis Serrano	Notices sent on 11/14/2013 & 12/13/2011	P	H
7009776-1	1 SUTTON PL S	MANHATTAN	49	Sutton Place South Corp.	Douglas Elliman Property Management	Robert McFarland	Notices sent on 03/19/2014 & 08/05/2014	P	B
7009841-1	515 E 89 ST	MANHATTAN	69	Gracie Gardens Owners Corp.	First Service Residential	Anthony Milstein	Notices sent on 06/10/2014 & 08/05/2014	P	B
7009927-1	2089 5 AV	MANHATTAN	35	Kenza Operating Corp.	Friedman Management Corp.	Marcelino Humphries	Notices sent on 02/26/2014 & 03/11/2014	P	H
7010638-1	865 1 AV	MANHATTAN	84	865 United Nations Plaza Condo	Samson Management LLC	Gregory Haye	Notices sent on 11/12/2013 & 08/05/2014	P	A
7013260-1	167 SANDS ST	BROOKLYN	120	Chung Hwa Tenants Corp.	Bayshine Management	Ray Chen	Notices sent on 12/04/2013 & 08/05/2014	P	A
7015635-1	200 SCHERMERHORN ST	BROOKLYN	158	State Renaissance	IBEC Building Corp.	Samy Brahimi	Notices sent on 04/23/2014 & 08/05/2014	A	A
7017772-1	1577 E 17 ST	BROOKLYN	80	1577 Tenants Corp.	MJ Orbach Associates Inc.	Michael Orbach	Notices sent on 01/16/2014 & 08/05/2014	P	B
7024360-1	1058 1 AV	MANHATTAN	125	400 East 58 Owner LLC	Stonehenge Management LLC	Marc Kaplan	Notices sent on 08/08/2014 & 11/11/2010	P	F
7036686-1	415 W 23 ST	MANHATTAN	98	London Terrace Gardens	Rose Associates, Inc.	Ellen Bornet	Notices sent on 03/23/2010 & 07/14/2010	P	B
7036686-2	420 W 24 ST	MANHATTAN	98	London Terrace Gardens	Rose Associates, Inc.	Ellen Bornet	Notices sent on 03/23/2010 & 07/14/2010	P	B
7036686-3	440 W 24 ST	MANHATTAN	98	London Terrace Gardens	Rose Associates, Inc.	Ellen Bornet	Notices sent on 03/23/2010 & 07/14/2010	P	B
7036686-4	430 W 24 ST	MANHATTAN	98	London Terrace Gardens	Rose Associates, Inc.	Ellen Bornet	Notices sent on 03/23/2010 & 07/14/2010	P	B
7036686-5	460 W 24 ST	MANHATTAN	98	London Terrace Gardens	Rose Associates, Inc.	Ellen Bornet	Notices sent on 03/23/2010 & 07/14/2010	P	B
7036686-6	425 W 23 ST	MANHATTAN	98	London Terrace Gardens	Rose Associates, Inc.	Ellen Bornet	Notices sent on 03/23/2010 & 07/14/2010	P	B
7036686-7	455 W 23 ST	MANHATTAN	98	London Terrace Gardens	Rose Associates, Inc.	Ellen Bornet	Notices sent on 03/23/2010 & 07/14/2010	P	B
7036686-8	435 W 23 ST	MANHATTAN	98	London Terrace Gardens	Rose Associates, Inc.	Ellen Bornet	Notices sent on 03/23/2010 & 07/14/2010	P	B
7036686-9	445 W 23 ST	MANHATTAN	98	London Terrace Gardens	Rose Associates, Inc.	Ellen Bornet	Notices sent on 03/23/2010 & 07/14/2010	P	B
7036686-10	450 W 24 ST	MANHATTAN	98	London Terrace Gardens	Rose Associates, Inc.	Ellen Bornet	Notices sent on 03/23/2010 & 07/14/2010	P	B
7054796-1	215 E 24 ST	MANHATTAN	182	Penny Lane Owners Corp.	Gumley Haft	Beth Ocera	Notices sent on 05/01/2014 & 08/05/2014	P	B
7061686-1	10 JONES ST	MANHATTAN	59	Caralex Holdings LLC	Abington Holding	Linda Berley	Notices sent on 06/06/2014 & 08/05/2014	P	B
7061839-1	840A 9 AV	MANHATTAN	105	360 West 55th Street, L.P.	Siba Management	Shawn McPartland	Notices sent on 05/30/2014 & 04/09/2013	P	B
7062420-1	756 WASHINGTON ST	MANHATTAN	67	756 Waywest Development Co. LLC	Jordan Cooper & Associates Inc.	Paul Brensilber	Notices sent on 02/04/2014 & 08/05/2014	P	D
7062654-1	110 FORSYTH ST	MANHATTAN	30	110 Forsyth Street HDFC		Gustavo Pena	Notices sent on 02/03/2014 & 07/22/2014	P	B
7063990-1	1565 E 14 ST	BROOKLYN	60	1565 East 14th Street Owners Corp.		Zipora Janklowicz	Notices sent on 09/05/2012 & 07/22/2014	P	A
7064151-1	200 BRIGHTON 15 ST	BROOKLYN	96	1511-1521 Brightwater Ave LLC	Newcastle Realty Services	Marc Flynn	Notices sent on 05/15/2014 & 07/22/2014	P	F

A	B	C	D	E	F	G	H	I	J
Property No.	MDU Property Address	Municipality	No. of Living Units	MDU Owner (Landlord)	MDU Managing Agent Co.	Contact Name	Mailing Notes	Refusal Code*	Build Code*
7064190-1	3033 CONEY ISLAND AV	BROOKLYN	74	Herald Realty Group LLC		Jacob Seidenfeld	Notices sent on 05/14/2014 & 08/05/2014	P	A
7064196-1	3111 BRIGHTON 7 ST	BROOKLYN	72	3111 Realty, LLC	Olympic Property Management	Peter Dilis	Notices sent on 05/14/2014 & 08/19/2014	A	F
7064240-1	3015 BRIGHTON 13 ST	BROOKLYN	60	3015 Brighton Realty LLC		David Nierenberg	Notices sent on 05/16/2014 & 08/05/2014	P	H
7064247-1	2245 E 19 ST	BROOKLYN	60	Dimaggio Realty Corp.		Carlo DiMaggio	Notices sent on 05/14/2014 & 07/22/2014	P	A
7064290-1	3021 BRIGHTON 13 ST	BROOKLYN	46	3021 Realty LLC		David Nierenberg	Notices sent on 05/06/2014 & 08/05/2014	P	H
7064318-1	1371 LINDEN BLVD	BROOKLYN	170	PE Gorman Housing Company, Inc.	Metro Management Development, Inc.	Tracy Phillip	Notices sent on 04/23/2014 & 06/10/2014	P	B
7064472-1	15 PARK AV	MANHATTAN	96	15-17 Park Avenue Delaware LLC	Samson Management LLC	Chris Toriello	Notices sent on 01/29/2014 & 08/05/2014	P	A
7064475-1	425 3 AV	MANHATTAN	105	Benchmark 425 LP	Benchmark Realty Group LLC	Joseph Lopez	Notices sent on 01/30/2014 & 08/05/2014	P	B
7064885-1	166 W 75 ST	MANHATTAN	181	JMW 75 LLC	Simon Development	Brian Hart	Notices sent on 05/16/2014 & 08/05/2014	P	F
7064927-1	121 COLUMBUS AV	MANHATTAN	328	Tx. Div. Nabisco Inc.	Brown Harris Stevens	Michelle Jones	Notices sent on 06/26/2014 & 08/05/2014	P	C
7065104-1	646 LENOX AV	MANHATTAN	134	Bethune Towers Company	Dalton Management Co.	Jonathan Warren	Notices sent on 04/09/2014 & 08/05/2014	P	A
7065682-1	255 LAFAYETTE ST	MANHATTAN	93	Lafayette Street Realty Associates, LLC	Gilman Management Corp.	Robert Raphael	Notices sent on 01/13/2014 & 03/18/2014	P	B
7066117-1	2155 GLEASON AV	BRONX	52	2155 Gleason Associates LLC	Weiss Realty LLC	Robert Herskowitz	Notices sent on 07/31/2014 & 09/20/2013	P	B
7066193-1	1354 COMMONWEALTH AV	BRONX	31	1354 Commonwealth LLC		Steven Finkelstein	Notices sent on 07/31/2014 & 09/20/2013	P	H
7066293-1	1770 E 172 ST	BRONX	51	Prana Growth Fund 1 LP	Park Ave South Mgmt.	Maurice Mckenzie	Notices sent on 03/24/2014 & 07/22/2014	P	H
7066354-1	2245 BARKER AV	BRONX	52	V K V Associates		Luke Vuksanaj	Notices sent on 05/16/2014 & 08/05/2014	P	B
7066364-1	2911 BARNES AV	BRONX	99	Charles Axelrod Associates		Carlin Axelrod	Notices sent on 06/03/2014 & 10/29/2010	P	A
7066459-1	3349 DECATUR AV	BRONX	21	Matovu Realty		Asher Shafran	Notices sent on 07/31/2014 & 04/09/2013	P	H
7066741-1	3215 OLINVILLE AV	BRONX	49	Olinville Manor Housing	Olinville Avenue HDPC	Effius Mathews	Notices sent on 04/28/2014 & 08/05/2014	A	H
8071487-1	414 ELMWOOD AV	BROOKLYN	77	Elmwood Realty Assoc Inc.	Malek Management	Robert Malek	Notices sent on 05/01/2014 & 07/22/2014	A	F
8071680-1	1348 OCEAN AV	BROOKLYN	83	1360 Ocean Avenue Owners Corp.	Allstate Realty Associates	Joseph Spitzer	Notices sent on 01/08/2014 & 03/04/2014	A	A
8071805-1	2607 AVENUE O	BROOKLYN	84	Kingsway Gardens Apt. Corp.		Victor Fein	Notices sent on 01/06/2014 & 08/05/2014	A	H
8071816-1	2807 KINGS HWY	BROOKLYN	84	Kingsway Gardens Apt. Corp.		Victor Fein	Notices sent on 01/08/2014 & 08/05/2014	A	A
8071856-1	3857 KINGS HWY	BROOKLYN	89	Fred & Ivan Leist Special K LLC		Fred Leist	Notices sent on 05/13/2014 & 08/05/2014	P	F
8072027-1	25-74 33 ST	QUEENS	60	25-74 33rd Street, LLC	Urban American Management	Heathcliff Leonor	Notices sent on 06/30/2014 & 08/19/2014	P	A
8072536-1	109-10 QUEENS BLVD	QUEENS	123	109-10 Queens Blvd. Owner LLC	Abro Management Corporation	Martin Scharf	Notices sent on 04/02/2014 & 08/05/2014	P	A
8072576-1	112-15 72 RD	QUEENS	61	Joylaine Realty Co.	Leemar Management Corp.	Lee Wallach	Notices sent on 06/18/2014 & 08/05/2014	A	A
8072579-1	112-50 QUEENS BLVD	QUEENS	85	Forest Hills South Owners Inc.	John B Lovett & Associates	Eileen Alexander	Notices sent on 10/24/2013 & 08/05/2014	P	A
8072652-1	64-41 SAUNDERS ST	QUEENS	105	Sherwood Apartment Owners Corp.	Gutman Management	Efraim Berger	Notices sent on 07/26/2013 & 02/19/2014	P	A
8072720-1	68-12 YELLOWSTONE BLVD	QUEENS	151	Ambassador Realty Company LLC	Gabriel Management Corp.	Steve Dym	Notices sent on 06/08/2014 & 08/05/2014	A	A

A	B	C	D	E	F	G	H	I	J
Property No.	MDU Property Address	Municipality	No. of Living Units	MDU Owner (Landlord)	MDU Managing Agent Co.	Contact Name	Mailing Notes	Refusal Code*	Build Code*
8072723-1	68-20 BURNS ST	QUEENS	26	Burns Street Owners Corp.	Excel Bradshaw Management	Mark Levine	Notices sent on 09/17/2013 & 08/05/2014	P	A
8072741-1	69-18 MELBOURNE AV	QUEENS	244	Georgetown Mews Owners Corp.	MGRE Co. LLC	Robert D'Amico	Notices sent on 01/10/2013 & 07/01/2014	P	B
8072793-1	77-14 QUEENS BLVD	QUEENS	114	Forest Hills South Owners Inc.	John B Lovett & Associates	Eileen Alexander	Notices sent on 10/24/2013 & 08/05/2014	P	A
8072878-1	133-24 SANFORD AV	QUEENS	160	133 Plus 24 Sanford Avenue Corp.		Lisa Byrus	Notices sent on 02/27/2014 & 08/05/2014	A	A
8072959-1	142-24 38 AV	QUEENS	68	Adam Pokrzywa	Adams LLC	Adam Pokrzywa	Notices sent on 06/16/2014 & 08/05/2014	A	A
8072983-1	143-40 ROOSEVELT AV	QUEENS	91	Blair House Owners Corp.	Metro Management Development, Inc.	Lindsey Kung	Notices sent on 05/12/2014 & 08/05/2014	P	A
8072999-1	144-25 ROOSEVELT AV	QUEENS	161	Orca LLC	JRC Management LLC	Richard Podpirka	Notices sent on 06/05/2014 & 08/05/2014	P	A
8073002-1	144-30 SANFORD AV	QUEENS	119	Imperial Sanford Owners Inc.		Stephen Finkelstein	Notices sent on 06/05/2014 & 08/05/2014	P	A
8073134-1	41-34 FRAME PL	QUEENS	69	Ridge Apartment Owners Corp.		Michael Starcic	Notices sent on 11/25/2013 & 12/20/2013	A	A

## LEGEND

### REFUSAL CODE

**A Active Refusal**

**P Passive Refusal**

### BUILD TYPES

#### **A Adhesive Fiber Cables**

Verizon will install fiber optic feeder cable approximately .5" in diameter between a Verizon manhole in the street and the basement of the building, using existing entrance conduit. A fiber terminal (approximately 17"x20"x16") will be installed in the basement. Fiber distribution cables approximately .5" in diameter will be connected to the fiber terminal and will be run horizontally through the basement, using strand wire or 3-4" metallic conduit to a vertical riser path. Vertical risers consisting of one or more fiber cables approximately .5" or less in diameter will be placed in 3-4" metallic conduit, which will be run through newly created holes drilled in the stairwell. 8" pull boxes will be established on the stairwell landing on each floor to house the pulled-through fiber cables. Where warranted, 20"x16"x8" lock boxes will be installed on the floor to house fiber distribution terminals. Horizontal fiber connections to each living unit ("drops") will be established with self-adhesive fiber cables. Small (4"x1.5"x.25") fiber termination boxes will be installed outside each living unit; the fiber drop will be extended into the living unit from this box at the time of installation. All Verizon work will be conducted in conformity with the property work requirements and with consideration for the safety of the residents and the proper functioning of the building. Impact to building aesthetics will be minimized by the use of materials smaller than those that typically serve the building at present.

#### **B Existing Hallway Moldings**

Verizon will install fiber optic feeder cable approximately .5" in diameter between a Verizon manhole in the street and the basement of the building, using existing entrance conduit. A fiber terminal (approximately 17"x20"x16") will be installed in the basement. Fiber distribution cables approximately .5" in diameter will be connected to the fiber terminal and will be run horizontally through the basement, using strand wire or 3-4" metallic conduit to a vertical riser path. Vertical risers consisting of one or more fiber cables approximately .5" or less in diameter will be placed in 3-4" metallic conduit, which will be run through newly created holes drilled in the stairwell. 8" pull boxes will be established on the stairwell landing on each floor to house the pulled-through fiber cables. Where warranted, 20"x16"x8" lock boxes will be installed on the floor to house fiber distribution terminals. Horizontal fiber drops to each living unit will be provided via bundled drops utilizing the existing hallway molding infrastructure. Excess fiber cables ("slack") will be coiled in the molding in front of each living unit for penetration into the unit at the time of service order. All Verizon work will be conducted in conformity with the property work requirements and with consideration for the safety of the residents and the

proper functioning of the building. Impact to building aesthetics will be minimized by the use of materials smaller than those that typically serve the building at present.

**C Microducts and Access Panels**

Verizon will install fiber optic feeder cable approximately .5" in diameter between a Verizon manhole in the street and the basement of the building, using existing entrance conduit. A fiber terminal (approximately 17"x20"x16") will be installed in the basement. Fiber distribution cables approximately .5" in diameter will be connected to the fiber terminal and will be run horizontally through the basement, using strand wire or 3-4" metallic conduit to a vertical riser path. Vertical risers consisting of one or more fiber cables approximately .5" or less in diameter will be placed in 3-4" metallic conduit, which will be run through newly created holes drilled in the stairwell. 8" pull boxes will be established on the stairwell landing on each floor to house the pulled-through fiber cables. Where warranted, 20"x16"x8" lock boxes will be installed on the floor to house fiber distribution terminals. Horizontal fiber drops to each living unit will be provided via 12.7mm micro duct that are run through existing soffits or in the ceiling, to the front of each unit. Approximately 8"x8" access panels will be installed to enable penetration into the living unit at the time of service order. All Verizon work will be conducted in conformity with the property work requirements and with consideration for the safety of the residents and the proper functioning of the building. Impact to building aesthetics will be minimized by the use of materials smaller than those that typically serve the building at present.

**D Microducts in Dropped Ceilings**

Verizon will install fiber optic feeder cable approximately .5" in diameter between a Verizon manhole in the street and the basement of the building, using existing entrance conduit. A fiber terminal (approximately 17"x20"x16") will be installed in the basement. Fiber distribution cables approximately .5" in diameter will be connected to the fiber terminal and will be run horizontally through the basement, using strand wire or 3-4" metallic conduit to a vertical riser path. Vertical risers consisting of one or more fiber cables approximately .5" or less in diameter will be placed in 3-4" metallic conduit, which will be run through newly created holes drilled in the stairwell. 8" pull boxes will be established on the stairwell landing on each floor to house the pulled-through fiber cables. Where warranted, 20"x16"x8" lock boxes will be installed on the floor to house fiber distribution terminals. Horizontal fiber drops to each living unit will be provided via 12.7mm micro duct that run through dropped ceilings; the fiber drops will be coiled close to each apartment. At the time of service order, penetration will be made into the living unit and a fiber drop will be pulled through the micro duct. All Verizon work will be conducted in conformity with the property work requirements and with consideration for the safety of the residents and the proper functioning of the building. Impact to building aesthetics will be minimized by the use of materials smaller than those that typically serve the building at present.

**E Existing Conduit to Living Unit**

Verizon will install fiber optic feeder cable approximately .5" in diameter between a Verizon manhole in the street and the basement of the building, using existing entrance conduit. A fiber terminal (approximately 17"x20"x16") will be installed in the basement. Fiber distribution cables approximately .5" in diameter will be connected to the fiber terminal and will be run horizontally through the basement, using strand wire or 3-4" metallic conduit to a vertical riser

path. Vertical risers consisting of one or more fiber cables approximately .5" or less in diameter will be placed in 3-4" metallic conduit, which will be run through newly created holes drilled in the stairwell. 8" pull boxes will be established on the stairwell landing on each floor to house the pulled-through fiber cables. Where warranted, 20"x16"x8" lock boxes will be installed on the floor to house fiber distribution terminals. Horizontal fiber drops to each living unit will be provided via existing building conduit, from the fiber distribution terminals directly into the living unit. At the time of service order, a fiber drop will be pulled through the conduit, possibly within a micro duct, where space allows. All Verizon work will be conducted in conformity with the property work requirements and with consideration for the safety of the residents and the proper functioning of the building. Impact to building aesthetics will be minimized by the use of materials smaller than those that typically serve the building at present.

**F New Hallway Molding**

Verizon will install fiber optic feeder cable approximately .5" in diameter between a Verizon manhole in the street and the basement of the building, using existing entrance conduit. A fiber terminal (approximately 17"x20"x16") will be installed in the basement. Fiber distribution cables approximately .5" in diameter will be connected to the fiber terminal and will be run horizontally through the basement, using strand wire or 3-4" metallic conduit to a vertical riser path. Vertical risers consisting of one or more fiber cables approximately .5" or less in diameter will be placed in 3-4" metallic conduit, which will be run through newly created holes drilled in the stairwell. 8" pull boxes will be established on the stairwell landing on each floor to house the pulled-through fiber cables. Where warranted, 20"x16"x8" lock boxes will be installed on the floor to house fiber distribution terminals. Horizontal fiber drops will be placed in newly installed hallway molding running from the fiber distribution terminal to the end of the hallway on each floor. Extra slack will be left coiled in the molding in front of each unit for penetration into the unit at the time of service order. All Verizon work will be conducted in conformity with the property work requirements and with consideration for the safety of the residents and the proper functioning of the building. Impact to building aesthetics will be minimized by the use of materials smaller than those that typically serve the building at present.

**G Fiber Drops Installed Directly into Unit from Riser**

Verizon will install fiber optic feeder cable approximately .5" in diameter between a Verizon manhole in the street and the basement of the building, using existing entrance conduit. A fiber terminal (approximately 17"x20"x16") will be installed in the basement. Fiber distribution cables approximately .5" in diameter will be connected to the fiber terminal and will be run horizontally through the basement, using strand wire or 3-4" metallic conduit to a vertical riser path. Vertical risers consisting of one or more fiber cables approximately .5" or less in diameter will be placed in 3-4" metallic conduit, which will be run through newly created holes drilled in the stairwell. 8" pull boxes will be established on the stairwell landing on each floor to house the pulled-through fiber cables. Where warranted, 20"x16"x8" lock boxes will be installed on the floor to house fiber distribution terminals. Fiber drops will be run directly into the living unit from the distribution terminal in the riser closet or stairwell. All Verizon work will be conducted in conformity with the property work requirements and with consideration for the safety of the residents and the proper functioning of the building. Impact to building aesthetics will be minimized by the use of materials smaller than those that typically serve the building at present.

## **H Exterior Bundled Drops**

4.8mm Indoor/Outdoor drop wires will be run vertically on the exterior of the building, passing closely by the window line for each set of stacked apartments in the building. The drop wires are attached to a metal cable that is fastened at the 1<sup>st</sup> floor level and at the rooftop level. Each wire is coiled outside the living unit it has been earmarked to serve. At the time of service order, the Verizon technician releases the coiled slack, drills a hole in the window sill and brings the drop wire into the unit. All Verizon work will be conducted in conformity with the property work requirements and with consideration for the safety of the residents and the proper functioning of the building. Impact to building aesthetics will be minimized by the use of materials smaller than those that typically serve the building at present.

## **I Multi-Customer Fiber Terminal**

Verizon will install fiber optic feeder cable approximately .5" in diameter between a Verizon manhole in the street and the basement of the building, using existing entrance conduit. A fiber terminal (approximately 17"x20"x16") will be installed in the basement. Fiber distribution cables approximately .5" in diameter will be connected to the fiber terminal and will be run horizontally through the basement, using strand wire or 3-4" metallic conduit to a vertical riser path. Vertical risers consisting of one or more fiber cables approximately .5" or less in diameter will run via 3-4" metallic conduit through either newly created core drills or existing vertical path in the communications/utility/media closets on designated floors. Verizon will mount Multi-Customer Fiber Terminals with average dimensions of 23"x19"x4" (wall mounted) or 84"x26"x15" (floor mounted). This terminal serves up to eight subscribers, with two (2) voice lines and one (1) data line each, and a common video jack. The units will be installed in the building's common utility area, using the existing copper wiring, CAT 5 and/or coax infrastructure to deliver service going to each living unit on serving floors. Building power needed to support MC-ONT design and battery backup is the responsibility of Verizon. All Verizon work will be conducted in conformity with the property work requirements and with consideration for the safety of the residents and the proper functioning of the building. Impact to building aesthetics will be minimized by the use of materials smaller than those that typically serve the building at present.

## **J In-Line Risers**

Verizon will install fiber optic feeder cable approximately .5" in diameter between a Verizon manhole in the street and the basement of the building, using existing entrance conduit. A fiber terminal (approximately 17"x20"x16") will be installed in the basement. Fiber distribution cables approximately .5" in diameter will be connected to the fiber terminal and will be run horizontally through the basement, using strand wire or 3-4" metallic conduit to a vertical riser path. Vertical risers consisting of one or more 12.7 mm micro ducts will be run through newly created holes drilled in closets within each living unit. A single 12.7 mm micro duct will terminate within each living unit resulting in a dedicated pathway between the living unit and the basement. At the time of service order, a fiber drop will be pulled through the micro duct. All Verizon work will be conducted in conformity with the property work requirements and with consideration for the safety of the residents and the proper functioning of the building. Impact to building aesthetics will be minimized by the use of materials smaller than those that typically serve the building at present.