



VPS Contract Management
One Verizon Way
Basking Ridge, NJ 07920

PUBLIC NOTICE OF NETWORK CHANGE UNDER RULE 51.333(a)

August 31, 2026

Carrier: Verizon New England Inc., 6 Bowdoin Square, 9th Floor, Boston, MA 02114

Contact: For additional information on these planned network changes, please contact:

Marcia Chaffin
Verizon Network Engineering
385 Myles Standish Blvd.
Taunton, MA 02780
978-552-3638

Michael Childs
Associate Director
Verizon Network Engineering
5055 North Point Pkwy
Alpharetta, GA 30022
469-497-4466

Implementation Date: On or after October 28, 2026.

Planned Network Change(s) will occur at the following location(s) in Massachusetts:

Verizon Central Office	Address	CLLI
Braintree MA DMS100 Switch	442 Washington St. Braintree, MA 02184	BRNTMAWADS0
Newton MA PEO Switch	787 Washington St. Newton, MA 02460	NWTNMAWAPS1

This notice may also be viewed at

<http://www.verizon.com/about/terms-conditions/network-disclosures>

PLEASE NOTE:

- All references to the Braintree, MA DMS100 switch are associated with CLI code BRNTMAWADS0 and will not be repeated throughout this notice.
- All references to the Newton, MA PEO switch are associated with CLI code NWTNMAWAPS1 and will not be repeated throughout this notice.

Description of the Planned Network Change(s):

The Verizon Braintree, MA DMS100 switch, located at 442 Washington St., Braintree, MA 02184, will be retired and removed from the network after all traffic served by this switch is migrated to the Verizon Newton MA PEO switch, located at 787 Washington St., Newton, MA 02460. All traffic to be migrated includes, but is not limited to, Inter-LATA (ACCESS/FG-B-D/CLEC/IXC), wireless, and paging traffic.

Description of Reasonably Foreseeable Impact(s) of the Planned Change(s):

Competitive local exchange carriers (CLECs), interexchange carriers (IXCs, IECs), wireless carriers, and paging carriers will need to secure new trunk groups built to the Newton, MA PEO switch or have existing trunk groups to that switch augmented. Carriers that are code holders for access connectivity in the Braintree, MA DMS100 switch will be required to reposition the codes to the Newton, MA PEO switch.

All ASRs for the Newton, MA PEO switch must be received no later than September 30, 2026, to provide sufficient time to migrate the traffic described above. These direct end office trunk (DEOT) interconnections will support traffic migration for the Braintree, MA DMS100 switch prior to its eventual decommissioning. Local Exchange Routing Guide (LERG) change effective dates will be posted prior to decommissioning of the Braintree, MA DMS100 switch (**on or after October 28, 2026**). This will serve to guide interconnect re-routes of traffic for the eight (8) native codes currently served by the Braintree, MA DMS100 switch to reflect the Newton, MA PEO switch as the new home switch.