



March 24 , 2025

Audience: CLEC,ISP,IXC,Resellers,Wireless,ILEC

Subject : Verizon Partner Solutions Industry Letter: Journal Square NJ 5ESS Switch Retirement

PLEASE NOTE:

- All references to the Journal Square NJ 5ESS switch are associated with CLLI code JRCYNJJODS5 and will not be repeated throughout this letter.
- All references to the Rochelle Park NJ CS2K switch are associated with CLLI code RCPKNJ01PS0 and will not be repeated throughout this letter.

As set out in the Verizon New Jersey Inc. Public Notice of Network Change Under Rule 51.329(a), dated March 24, 2025, on or after October 1, 2025, the Journal Square NJ 5ESS switch will be retired and removed from the Verizon network as part of ongoing efforts to modernize the network.

General Information: The Exchange Codes (NXXs) Codes in Numbering Plan Area (NPA) 201 currently residing in the Journal Square NJ 5ESS switch (see list in Table B below) will be moved to the Rochelle Park NJ CS2K switch (see details in Table A below).

The twenty-four (24) native NPA NXXs belonging to the Journal Square NJ 5ESS switch will be rehomed upon decommissioning of the switch and reflected in the Local Exchange Routing Guide (LERG) for the Rochelle Park NJ CS2K switch. This will occur on or after October 1, 2025.

Table A

	From	To
Entity	Journal Square JODS5	Rochelle Park 01PS0
Clli	JRCYNJJODS5	RCPKNJ01PS0
Product	5ESS	CS2K
Location	773 Summit Avenue Jersey City, NJ 07307	65 W. Passaic Street Rochelle Park, NJ 07662
Point Code	246 074 076	246 073 135
NXX Type	EOC	EOC
OCN	9206	9206
Rate Center Lata	224	224
Rate Center	Jersey City	New Brunswick
State	NJ	NJ

Table B

NPA	NXX	TYPE	RATECENTER
201	216	EOC	JERSEYCITY
201	217	EOC	JERSEYCITY
201	222	EOC	JERSEYCITY
201	239	EOC	JERSEYCITY
201	284	EOC	JERSEYCITY
201	386	EOC	JERSEYCITY
201	418	EOC	JERSEYCITY
201	420	EOC	JERSEYCITY
201	459	EOC	JERSEYCITY
201	533	EOC	JERSEYCITY
201	595	EOC	JERSEYCITY
201	610	EOC	JERSEYCITY
201	626	EOC	JERSEYCITY
201	653	EOC	JERSEYCITY
201	656	EOC	JERSEYCITY
201	659	EOC	JERSEYCITY

201	680	EOC	JERSEYCITY
201	714	EOC	JERSEYCITY
201	792	EOC	JERSEYCITY
201	795	EOC	JERSEYCITY
201	798	EOC	JERSEYCITY
201	850	EOC	JERSEYCITY
201	876	EOC	JERSEYCITY
201	963	EOC	JERSEYCITY

Network Changes and Trunk Rearrangements:

The Rochelle Park NJ CS2K switch will be the recipient office of traffic migrated from the Journal Square NJ 5ESS switch. Traffic bound for the codes listed in Table B will be delivered via the New Brunswick 04T Tandem (NBWKNJNB04T).

After all traffic is migrated off of the Journal Square NJ 5ESS switch, this switch will be retired and removed from the network.

CLECs, IXCs, IECs, wireless carriers and paging carriers will need to secure new trunk groups built to the Rochelle Park NJ CS2K switch or have existing trunk groups to that switch augmented. Carriers that have direct end office trunk (DEOT) with access connectivity in the Journal Square NJ 5ESS switch will be required to reposition the codes to the Rochelle Park NJ CS2K switch.

All ASRs for the Rochelle Park NJ CS2K switch must be received no later than July 21, 2025, to provide sufficient time to migrate the traffic described above. All traffic must be moved by October 1, 2025.

Please adhere to industry standards using normal procedures that pertain to updates and changes to the LERG for all NXXs subject to the retirement of the Journal Square NJ 5ESS switch.

For inquiries related to the proposed network reconfiguration, or to arrange a meeting with Verizon Network Engineering and Planning personnel, please contact your Verizon Account Manager.

We look forward to working with your team to enable uninterrupted service during the network redesign and transitioning of your traffic.

This communication is provided by the VPS Account Management Support. Requests to subscribe or unsubscribe to this distribution may be processed at:

<https://www22.verizon.com/wholesale/subscriptions/e-mail-subscriptions.html>