
2025 Data Breach Investigations Report





About the cover

Third-party involvement in breaches was an ever-present subject in incidents throughout this past year. Third parties can not only act as custodians to customers' data, but they can also underpin critical parts of organizations' operations.

Our incredible design team rose to the challenge of representing the balancing act an organization's security programs have to perform with the growing dependence on those third parties. If the impossibly balanced shape on the cover makes you uncomfortable, you have begun to understand the challenges modern Chief Information Security Officers (CISOs) face in the current environment.

Throughout its "spine," you can find encoded the Incident Classification Patterns that were most prevalent in breaches in our incident dataset (with the previous year's data oriented to the left of the center and the current year's data to the right). The inner cover represents those quantities in a less abstract way.

The shape might look too fragile to continue standing, but the fact that it is holding steady is a monument to all the hard work and collaboration that the industry has brought to bear. With the proper amount of collaboration, organization and information sharing, we can continue to strengthen cybersecurity efforts and maybe have a good night of sleep or two in the future as a treat.

Table of contents

Welcome	5
Summary of findings	6
Incident Classification Patterns	10
Insights for Financial and Insurance	12
Stay informed and threat ready.	14

Welcome

Hello, and welcome to the Verizon Data Breach Investigations Report (DBIR) Finance Snapshot.

The DBIR aims to provide security professionals with an in-depth analysis of data-driven, real-world instances of cybercrime and how cyberattacks play out across organizations of different sizes as well as from different verticals and disparate geographic locations. We hope that by doing so, we can provide you with insight into what particular threats your organization is most likely to face and thereby help prepare you to handle them.

As in past years, we will examine what our data has to tell us about threat actors and the tools they employ against enterprises. This year, we analyzed 22,052 real-world security incidents, of which 12,195 were confirmed data breaches (a record high!), with victims spanning 139 countries.

This data represents actual, real-world breaches and incidents provided from the case files of the Verizon Threat Research Advisory Center (VTRAC) team, along with the generous support of our global contributors, and from publicly disclosed security incidents. We hope you can use this report and the information it contains to increase your awareness of the most common tactics used against organizations at large and your specific industry. It offers strategies to help protect your company and its assets. Read the full report for a more detailed view of the threats you may face today at verizon.com/dbir.

About the 2025 DBIR incident dataset

Each year, the DBIR timeline for inscope incidents is from Nov 1 of one calendar year through Oct 31 of the next calendar year. Thus, the incidents described in this year's report took place between Nov 1, 2023, and Oct 31, 2024. The 2024 caseload is the primary analytical focus of the 2025 report, but the entire range of data is referenced throughout, notably in trending graphs. The time between the latter date and the date of publication for the report is spent in acquiring the data from our global contributors, anonymizing and aggregating that data, analyzing the dataset, and finally creating the graphics and writing the report.

Industry labels

This snapshot highlights important takeaways for the Finance and Insurance (NAICS 52) sector, which includes establishments primarily engaged in or facilitating financial transactions as well as underwriting insurance and annuities.

In the DBIR, we align with the North American Industry Classification System (NAICS) standard to categorize the victim organizations in our corpus. The standard uses two- to six-digit codes to classify businesses and organizations. Our analysis is typically done at the two-digit level, and we will specify NAICS codes along with an industry label. For example, a chart with a label of Finance (NAICS 52) is not indicative of 52 as a value. "52" is the code for the Finance and Insurance sector. Detailed information on the codes and the classification system is available here:

https://www.census.gov/naics

22,052 security incidents investigated

12,195 confirmed breaches

Summary of findings




Figure 1. Known initial access vectors in non-Error, non-Misuse breaches (n=9,891)




Figure 2. Ransomware action over time in breaches (n for 2025 dataset=10.747)

If you're vulnerable, they will come.

The exploitation of vulnerabilities has seen another year of growth as an initial access vector for breaches, reaching 20%. This value approaches that of credential abuse, which is still the most common vector. This was an increase of 34% in relation to last year's report and was supported, in part, by zeroday exploits targeting edge devices and virtual private networks (VPNs). The percentage of edge devices and VPNs as a target on our exploitation of vulnerabilities action was 22%, and it grew almost eight-fold from the 3% found in last year's report. Organizations worked very hard to patch those edge device vulnerabilities, but our analysis showed only about 54% of those were fully remediated throughout the year, and it took a median of 32 days to accomplish.

More organizations are being held hostage.

The presence of Ransomware, with or without encryption, in our dataset also saw significant growth—a 37% increase from last year's report. It was present in 44% of all the breaches we reviewed, up from 32%. In some good news, however, the median amount paid to ransomware groups has decreased to \$115,000 (from \$150,000 last year). 64% of the victim organizations did not pay the ransoms, which was up from 50% two years ago. This could be partially responsible for the declining ransom amounts.

Ransomware is also disproportionally affecting small organizations. In larger organizations, Ransomware is a component of 39% of breaches, while small- and medium-sized businesses (SMBs) experienced Ransomware-related breaches to the tune of 88% overall.



Figure 3. Select key enumerations in breaches

The ways in are shifting.

Although the involvement of the human element in breaches remained roughly the same as last year, hovering around 60%, the percentages of breaches where a third party was involved doubled, going from 15% to 30%.

There were notable incidents this year involving credential reuse in a third-party environment—in which our research found the median time to remediate leaked secrets discovered in a GitHub repository was 94 days.

We also saw significant growth in Espionage-motivated breaches in our analysis, which are now at 17%. This rise was, in part, due to changes in our contributor makeup. Those breaches leveraged the exploitation of vulnerabilities as an initial access vector 70% of the time, showcasing the risk of running unpatched services. However, we also found that Espionage was not the only thing state-sponsored actors were interested in - approximately 28% of incidents involving those actors had a Financial motive. There has been media speculation that this may be a case of the threat actors double-dipping to pad their compensation.




Figure 4. Percentage of non-managed devices with corporate logins in infostealer logs (each glyph is 0.5%)

No device is off-limits.

With regard to stolen credentials, analysis performed on information stealer malware (infostealer) credential logs revealed that 30% of the compromised systems can be identified as enterprise-licensed devices. However, 46% of those compromised systems that had corporate logins in their compromised data were nonmanaged and were hosting both personal and business credentials. These are most likely attributable to a bring your own device (BYOD) program or are enterprise-owned devices being used outside of the permissible policy.

By correlating infostealer logs and marketplace postings with the internet domains of victims that were disclosed by ransomware actors in 2024, we saw that 54% of those victims had their domains show up in the credential dumps (for instance, as URLs the credentials allegedly gave access to), and 40% of the victims had corporate email addresses as part of the compromised credentials. This suggests these credentials could have been leveraged for those ransomware breaches, pointing to potential access broker involvement as a source of initial access vectors.



GenAl account credentials

Personal

Corporate, not integrated

Corporate, integrate

Figure 5. Percentage breakdown of GenAl service access account types (each glyph is 0.5%)

Al is not A-OK.

As of early 2025, generative artificial intelligence (GenAI) has still not taken over the world, even though there is evidence of its use by threat actors as reported by the AI platforms themselves. Also, according to data provided by one of our partners, synthetically generated text in malicious emails has doubled over the past two years.

A closer-to-home emerging threat from Al is the potential for corporate-sensitive data leakage to the GenAl platforms themselves, as 15% of employees were routinely accessing GenAl systems on their corporate devices (at least once every 15 days). Even more concerning, a large number of those were either using non-corporate emails as the identifiers of their accounts (72%) or were using their corporate emails without integrated authentication systems in place (17%), most likely suggesting use outside of corporate policy.

Incident Classification Patterns

The DBIR first introduced the Incident Classification Patterns in 2014 as a useful shorthand for scenarios that occurred very frequently. In 2022, due to changes in attack type and the threat landscape, we revamped and enhanced those patterns, moving from nine to eight—the seven you see in this report and the Everything Else "pattern," which is a catch-all for incidents that don't fit within the orderly confines of the other patterns.

These patterns are based on an elegant machine-learning clustering process, equipped to better capture complex interaction rules, and they are much more focused on what happens during the breach. That makes them better suited for control recommendations, too.

Here are our key findings for each pattern:

System Intrusion

These are complex attacks that leverage malware and/or hacking to achieve their objectives, including deploying Ransomware.

- This pattern continues to be largely driven by Ransomware, which is present in 75% of the breaches.
- Analyzing the initial access vectors in the Ransomware breaches, we see that
 exploitation of vulnerabilities is the most common vector, overtaking credential
 abuse for a couple of years now.
- We have not seen this result in the larger dataset (where credential abuse is still the most common one), but this shouldn't be surprising given how much the ransomware operators have been leveraging vulnerabilities on file server software (2023) and perimeter devices (2024).

Social Engineering

This attack involves the psychological compromise of a person that alters their behavior into taking an action or breaching confidentiality.

- Social actions in Social Engineering incidents are led by Phishing and Pretexting, unsurprisingly.
- Prompt bombing is of special interest, in which users are bombarded with multifactor authentication (MFA) login requests, showing up in 14% of incidents.
- Other types of techniques used to bypass MFA, such as Adversary-in-the-Middle (AiTM), Password dumping and Hijacking (like SIM swapping), only show up in 4% of the entire breach dataset for this year's report.
- In 2024 alone, according to the FBI Internet Crime Complaint Center (IC3), more than \$6.3 billion was transferred as part of Business Email Compromise (BEC) scams. The median amount of money extracted from victims has settled around the \$50,000 mark.

Basic Web Application Attacks

These attacks are against a Web application, and after the initial compromise, they do not have a large number of additional Actions. It is the "get in, get the data and get out" pattern.

- In this pattern, about 88% of the breaches involve the Use of stolen credentials, which sometimes serves as both the first and only action, while other times, it is just one piece of a larger attack chain.
- You also have to contend with brute forcing ("guessed credentials") along with the establishment of Backdoors or C2s (command and controls).
- For the last couple of years, Espionage has hovered around 10% to 20% of the Basic Web Application Attacks breaches, but this year it accounts for an eyeopening 62%.

Miscellaneous Errors

Incidents where unintentional actions directly compromised a security attribute of an information asset are found in this pattern. This does not include lost devices, which are grouped with theft instead.

- The top three action varieties were Misdelivery, Misconfiguration and Publishing error, which was a change from last year's top three.
- The data types we see affected by Miscellaneous Errors breaches are primarily of the Personal variety.
- And while this Personal information includes data points such as date of birth, mailing address and other tidbits useful for identity theft, we are also seeing some of the more sensitive varieties showing up to a lesser degree.

Privilege Misuse

These incidents are predominantly driven by unapproved or malicious use of legitimate privileges.

- While the Privilege Misuse pattern is typically insiders, this year there has been an increase in Partner actors, now at 10%.
- Most cases are motivated by direct financial gain, and while we see Espionage in this pattern (10%), it has decreased over last year's high (46%).
- System admins are quite low in terms of committing deliberate actions that lead to a breach, whereas they figure rather prominently in terms of accidental breaches (due to their privileges).

Denial of Service

These attacks are intended to compromise the availability of networks and systems. This includes both network and application layer attacks.

- This pattern is one of the consistent leaders in the incident patterns, and the size of the median attack has also grown substantially over the years.
- Since 2018, there has been over 200% growth in the median for the size and about 1,000% increase in the upper bounds of the bits per second of those attacks.
- The top industry targets of Denial of Service are Finance (35%), Manufacturing (28%) and Professional Services (17%).

Lost and Stolen Assets

Incidents where an information asset went missing, whether through misplacement or malice, are grouped into this pattern.

- This pattern continues to trend downward in terms of the number of incidents and breaches compared to last year. This is hopefully due to effective controls being put in place on the assets, rendering the data inaccessible even when custody of the item is lost.
- Medical data appeared again this year in the top data types affected in these breaches.

Financial and Insurance

Frequency	3,336 incidents, 927 with confirmed data disclosure
Top patterns	System Intrusion, Social Engineering and Basic Web Application Attacks represent 74% of breaches
Threat actors	External (78%), Internal (22%), Partnel (1%) (breaches)
Actor motives	Financial (90%), Espionage (12%)

Data compromised

Personal (54%), Other (44%), Internal (35%), Credentials (22%) (breaches)

(breaches)

What is the same?

System Intrusion remains the top pattern once again, due to the preponderance of more complex attacks. Dare we hope this is because the adversaries are having to expend more effort?

Summary

The Financial and Insurance vertical is still dominated by financially motivated threat actors who will usually take any data type they can lay their hands on. However, attacks with the motive of Espionage have increased this year.

This sector has always had a large target painted on its proverbial back, given this is where the big money lives. Criminals are incentivized to try and crack open organizations in this sector for obvious reasons. And they are successful in causing a breach about a third of the time, according to our frequency table to the left. Compared to last year, there are very slight changes to just how many breaches and incidents we saw, but the success rate was fairly stable.

Who let the data out? Who?

With the System Intrusion pattern reigning supreme once again this year, we can assume that the more complex attacks are getting the adversaries what they are after (Figure 6). We saw the usual suspects of action types being responsible for breaches this year. Hacking was on top, with Malware and Social trailing after (Figure 7).




Figure 6. Top patterns over time in Financial and Insurance breaches

Hacking being the top action type is no surprise, since it represents such a versatile toolset for attackers. We see it in System Intrusion breaches, frequently in the form of the exploitation of vulnerabilities. However, we also see it after a Social Engineering attack (which is the second most common pattern in this sector) in which the attacker was able to gain the credentials of their victim and pivot to use them in attacks against the infrastructure. And finally, we frequently see it in the Basic Web Application Attacks pattern where the adversary is using credentials that were stolen in another breach and sold on the dark web for reuse. Hacking truly is the gift that keeps on giving.

With regard to the action varieties, Figure 8 shows that Ransomware and Use of stolen credentials are the powerhouses for most of the breaches in this sector. The groups that prefer to efficiently monetize their data access will frequently use Ransomware for leverage and will often also take a copy of the data, frequently using stolen credentials as an entry point.




Figure 7. Top Actions in Financial and Insurance breaches (n=927)




Figure 8. Top Action varieties in Financial and Insurance breaches (n=823)

The rest of the top varieties simply provide more evidence for the story we narrated in our prior paragraph. Basic Web Application Attacks tend to be the smash and grabs of cybercrime, with the perpetrators getting in and out of the system as fast as they can. These are not typically the carefully crafted, well-thought-out schemes you see in the movies. Think instead of someone kicking in a door and making off with the equivalent of all your small electronics and jewelry.

However, there was a change that leans more toward cloak and dagger—the motive of Espionage saw a small increase from 5% last year to 12% in this year's report. Admittedly, this is not a huge increase, but it does raise the flag that this industry is drawing the attention of the more sophisticated threat actors, which is never good news. It may also be in part due to our increased visibility into Espionage breaches with the change in the composition of our data contributors.

Stay informed and threat ready.

Facing today's threats requires intelligence from a source you can trust.

The full 2025 Data Breach Investigations Report contains details on the actors, actions and patterns that can help you prepare your defenses and educate your organization. Get the intelligence you need to help protect your organization.

Read the full 2025 DBIR at verizon.com/dbir.

Want to make the world of cybersecurity a safer place?

If your organization aggregates incident or security data and is interested in becoming a contributor to the annual Verizon DBIR (and we hope you are), the process is very easy and straightforward. Please email us at dbircontributor@verizon.com.

Please feel free to provide us feedback for improving the DBIR at dbir@verizon.com, reach out to Verizon Business (or one of the authors) on LinkedIn and check out the VERIS GitHub page: https://github.com/vz-risk/veris.

