



- Economical yet innovative fanless design runs cool and quiet
- Gigabit ports allow you to connect all your devices for fast file transfers and smooth media streaming
- EEE compliance reduces energy consumption without sacrificing performance
- Quality of Service support for traffic prioritization

5 or 8 Port Gigabit Desktop Switch

Product Highlights

- Five or Eight 10/100/1000Mbps Ports
- Up to 1 Gbps of Dedicated Bandwidth per Port and up to 2 Gbps Bandwidth in Full-Duplex mode
- Compatible with All Popular Operating Systems
- Plug & Play Installation
- Conserves energy with D-Link Green Technology
- Supports MAC address learning

Think Green

The DGS-1005G and the DGS-1008G five and eight port Gigabit Desktop Switches are part of D-Link's new series of home devices that make use of D-Link's Green Technology, providing energy savings, reduced heat, and a longer product life without sacrificing performance or functionality. An energy-efficient power adapter (EnergyStar Level V qualified), minimized use of harmful substances (RoHS compliant), and recyclable packaging make these switches truly environmentally friendly.

Conserves Energy

The DGS-1005G and the DGS-1008G help conserve energy automatically. Both switches save substantial amounts of power by cutting power usage for unused ports or ports connected to computers that have been shut down.

DGS-1005G & DGS-1008G

Features

- Built-in D-Link Green Technology
- Inexpensive Gigabit solution for Home/Media Center
- Five or Eight 10/100/1000 Mbps Gigabit ports
- 10/16 Gbps switching fabric
- Auto MDI/MDIX crossover for all ports
- Secure store-and-forward switching scheme
- Full/half-duplex for Ethernet/Fast Ethernet speeds
- IEEE 802.3x Flow Control
- IEEE 802.1p QoS
- Supports 9,216 Byte Jumbo Frames
- RoHS compliant
- Plug-and-play installation

Environmentally Friendly

The DGS-1005G and the DGS-1008G five and eight port Gigabit Desktop Switches were designed with the environment in mind, and are compliant with Energy Star Level V, as well as with the stringent CEC and MEPS regulations that require the use of energy efficient power adapters. The switches are also built to follow RoHS standards to minimize use of hazardous materials, and use recyclable packaging that helps reduce waste, complying with the WEEE directive.

Gigabit Connection for Home and Media Center


The Gigabit Desktop Switches offer an economical way for homes and media centers to benefit from the increased bandwidth of Gigabit Ethernet. It provides five/eight Gigabit ports for easy expansion of your network and a quick way to upgrade your network to Gigabit connectivity.

Package Contents

- 5 or 8 Port Gigabit Desktop Switch (DGS-1005G/DGS-1008G)
- Power Adapter
- Wall Mount Kit
- Quick Install Guide

Minimum System Requirements

- Devices Supporting 802.3 Ethernet, 802.u Faster Ethernet, or 802.3ab Gigabit Ethernet
- Cat5 or better Ethernet Cable
- RJ-45 Port for Each Device
- Network Interface Card for each computer



Technical Specifications		
	DGS-1005G	DGS-1008G
		
Switching Fabric	• 10Gbps	• 16Gbps
Standards	<ul style="list-style-type: none"> • IEEE 802.3 10BASE-T Ethernet (twisted-pair copper) • IEEE 802.3u 100BASE-TX Fast Ethernet (twisted-pair copper) • IEEE 802.3ab 1000BASE-T Gigabit Ethernet (twisted-pair copper) 	<ul style="list-style-type: none"> • ANSI/IEEE 802.3 NWay auto-negotiation • IEEE 802.3x Flow Control • IEEE 802.1p QoS (4 Queues, Strict Mode) • IEEE 802.3az Energy-Efficient Ethernet (EEE)
Protocol	• CSMA/CD	
Data Transfer Rates	<ul style="list-style-type: none"> • Ethernet: <ul style="list-style-type: none"> - 10 Mbps (half duplex), 20 Mbps (full duplex) • Fast Ethernet: <ul style="list-style-type: none"> - 100 Mbps (half duplex), 200 Mbps (full duplex) 	<ul style="list-style-type: none"> • Gigabit Ethernet: <ul style="list-style-type: none"> - 2000 Mbps (full duplex)
Topology	• Star	
Network Cables	<ul style="list-style-type: none"> • 10BASE-T: <ul style="list-style-type: none"> - UTP CAT 3, 4, 5/5e (100 m max.) - EIA/TIA-586 100-ohm STP (100 m max.) 	<ul style="list-style-type: none"> • 100BASE-TX, 1000BASE-T: <ul style="list-style-type: none"> - UTP CAT 5/5e (100 m max.) - EIA/TIA-568 100-ohm STP (100 m max.)
Media Interface Exchange	• Auto MDI/MDIX adjustment for all ports	
LED Indicators	• Per port: Link/Activity/Speed	• Per device: Power
Transmission Method	• Store-and-forward	
MAC Address Table	• 2K	• 8K
MAC Address Learning	• Automatic update	
Packet Filtering/Forwarding Rates	<ul style="list-style-type: none"> • Ethernet: 14,880 pps per port • Fast Ethernet: 148,800 pps per port 	• Gigabit Ethernet: 1,488,000 pps per port
RAM Buffer	• 128KB per device	
Jumbo Frames	• 9,216 Bytes	
General Specifications		
DC Input	• External 5V/1 A Level "V" Power Adapter	
Power Consumption	<ul style="list-style-type: none"> • DC input: 2.37 watts • AC input: 3.9 watts 	<ul style="list-style-type: none"> • DC input: 3.48 watts • AC input: 5.4 watts
MTBF	• 1,261,299 hours	• 522,270 hours
Operating Temperature	• 32 to 104 °F (0 to 40 °C)	
Storage Temperature	• 14 to 158 °F (-10 to 70 °C)	
Operating Humidity	• 10% to 90% RH non-condensing	

DGS-1005G/1008G 5/8 Port Gigabit Desktop Switch

Storage Humidity	• 5% to 90% RH non-condensing	
Dimensions	• 1.2 x 4.4 x 3.0 inches (30 x 111 x 75 mm)	• 1.4 x 5.8 x 3.4 inches (39 x 144 x 84mm)
Weight	• 3.52 ounces (100 grams)	• 4.96 ounces (141 grams)
Certifications	• FCC Class B • ICES-003 Class B • CE Class B • C-Tick Class B • VCCI Class B	• CB • LVD
Warranty		
Warranty	• Limited Lifetime Warranty ¹	
Order Information		
<i>Part Number</i>	<i>Description</i>	
DGS-1005G	5-Port Gigabit Desktop Switch	
DGS-1008G	8-Port Gigabit Desktop Switch	

¹Limited Lifetime Warranty available only in the USA.. All references to speed are for comparison purposes only. Product specifications, size and shape are subject to change without notice, and actual product appearance may differ from that depicted herein.

For more information

U.S.A. | 17595 Mt. Herrmann Street | Fountain Valley, CA 92708 | 800.326.1688 | dlink.com

All references to speed and range are for comparison purposes only. Product specifications, size, and shape are subject to change without notice, and actual product appearance may differ from that depicted herein.

©2013 D-Link Corporation/D-Link Systems, Inc. All rights reserved. D-Link, the D-Link logo, the D-Link RoHS logo are trademarks or registered trademarks of D-Link Corporation or its subsidiaries in the United States and/or other countries. Other trademarks or registered trademarks are the property of their respective owners.

Updated 05/13