

SCHEDULE NO. AC - 2

FACILITIES FOR INTRASTATE ACCESS

SECTION 3 TABLE OF CONTENTS

	Sheet No.	
3. <u>ORDERING OPTIONS FOR FIA</u>	66	
3.1 <u>General</u>	66	
3.1.1 Ordering Conditions.....	66	
3.1.2 Provision of Other Services	67.3.1	(T)
3.1.3 Special Construction.....	68	
3.2 <u>Access Service Request</u>	68	(T)
3.2.1 Service Date Intervals.....	68	
3.2.2 ASR Modifications	70	(T)
(A) Service Date Change Charge	71	(N)
(B) Partial Cancellation Charge	71	
(C) Discontinuance of Service.....	71.2	
(D) Design Change Charge.....	72	
(E) Requests for Expedition.....	73	(N)
3.2.3 Selection of Facilities for Access		(T)
Service	73	(T)
3.2.4 Minimum Period.....	73	
3.2.5 Minimum Period Charges.....	74	(T)
3.2.6 Cancellation of a FIA Order	75	
3.3 <u>Access Service Requests for Services Provided by</u>		(T)
<u>More Than One Utility</u>	76	(T)
		(D)
		(D)
3.5 <u>Switched Access Minimum Capacity Requirements</u>	88	(T)
3.6 <u>Rates</u>	90	

Continued

SCHEDULE NO. AC - 2

FACILITIES FOR INTRASTATE ACCESS

3. ORDERING OPTIONS FOR FIA

3.1 General

This section sets forth the regulations and order related charges for FIA Orders to provide the customer with FIA. These order charges are in addition to other applicable charges in other sections of this tariff.

3.1.1 Ordering Conditions

- (A) A customer may order any amount of FIA (Switched or Special) of the same interface type, same Feature Group, same Basic Serving Arrangement or same Special Access between the same locations on a single ASR. A customer may order the changed use of Switched Access and Special Access over the same high capacity facility however, separate ASRs are required. The methodology for shared use is described in 5.6.7. (C)
- ASRs for FGA or BSA-A must be in number of lines required.
 - ASRs for FGB, FGC, FGD, BSA-B, BSA-C, BSA-D and SAC Access Service must be in Busy Hour Minutes of Capacity (BHMC).

Additional ASR requirements for Switched Access Service are described in 4.2.1 and 4.3.2. (C)

(C)

Continued

SCHEDULE NO. AC - 2

FACILITIES FOR INTRASTATE ACCESS

3. ORDERING OPTIONS FOR FIA - Continued

3.1 General - Continued

3.1.1 Ordering Conditions - Continued

- (B) The customer shall supply all details necessary to complete an order. The details may include the following: requested service date, customer name, CDL, end office, Interface Arrangement, type of Switched Access or Special Access, Supplemental Features, End Office Services and Signaling Interface, and originating and terminating capacity required. The customer may also be required to provide end user name and location, end user contact person, and end user access hours to complete an order for Special Access.

When a customer orders mixed interstate and intrastate Switched Access, the customer is required to provide an estimate of the percent of traffic which will be intrastate. If the customer fails to provide this estimate the order will not be processed until such time as the customer provides this estimate.

When a customer orders mixed-use Special Access service, the customer must indicate the jurisdiction based on the criteria as described in Section 5.1.6(A).

- (C) When the Alternate Traffic Routing Optional Arrangement is ordered, more than one CDL will be supplied, and the number of lines for FGA, BHMC for FGB, FGC and FGD to each CDL shall be specified.

When the Alternate Traffic Routing Basic Serving Element (BSE) is ordered, more than one CDL will be supplied and the number of trunks or BHMC for BSA-B, BSA-C and BSA-D to each CDL shall be specified.

(N)
|
(N)

Continued

SCHEDULE NO. AC - 2

FACILITIES FOR INTRASTATE ACCESS

3. ORDERING OPTIONS FOR FIA - Continued

3.1 General - Continued

3.1.1 Ordering Conditions - Continued

(D) The customer shall order SAC Access Service, as described in 4.2.1(E), in the same manner as ordering FGD with the following exceptions. For 500 SAC Access Service or 900 SAC Access Service, customers may request direct connections only to those offices designated by the Utility as 500 SAC Access Service or 900 SAC Access Service screening offices. All 500 NXX or 900 NXX code assignments and administration shall be in accordance with the North American Numbering Plan (NANP). 800/888 SAC Access Service is offered only with 800/888 Customer Identification Function as described in 4.2.11 and with 800/888 Data Base Query Service as described in 4.2.19. Customers may request 800/888 SAC access connections to suitably equipped end offices and access tandem offices. A list of those offices will be provided upon request. All 800/888 number assignments shall be administered by the Number Administration Service Center (NASC) through the Service Management System (SMS).

(T)
|
(T)

500 NXX codes or 900 NXX Codes to be activated and/or deactivated with 500 SAC Access Service or 900 SAC Access Service, must be provided to the Utility at least 30 business days prior to the effective date of the change.

(T)

When SAC Access Service is not terminated over a Special Access Line as in 5.1.1(C)(2), the customer must notify the Utility of all local exchange telephone numbers to which SAC Access Service traffic is designated so that the Utility can balance the end office in accordance with standard Utility engineering practices for heavy volume lines.

(T)

Continued

SCHEDULE NO. AC - 2

FACILITIES FOR INTRASTATE ACCESS

3. ORDERING OPTIONS FOR FIA - Continued

3.1 General - Continued

3.1.1 Ordering Conditions - Continued

(D) Continued

An ASR is required by the Utility for 500 NXX codes or 900 NXX codes to be activated or deactivated on an access facility level basis. The NXX Translation Charge as described in 4.5.2(N), shall apply to each 500 NXX code activated or deactivated in a Utility switch capable of performing the customer identification function for 500 SAC Access Service. Customer assigned codes, for which an ASR has not been received, will be blocked.

(N)

(E) When mixed interstate and intrastate Special Access Service is ordered, the jurisdiction will be determined as follows:

(N)

- (1) If the customer's estimate of the interstate traffic on the service involved constitutes 10 percent or less of the total traffic on that service, the service will be ordered and provided in accordance with the applicable rules and regulations specified under this tariff schedule.
- (2) If the customer's estimate of the interstate traffic on the service involved constitutes more than 10 percent of the total traffic on that service, the service will be ordered and provided in accordance with the applicable rules and regulations of the interstate access tariff, GTOC FCC No. 1.

(T)

Material omitted now shown on Original Sheet 66.1.

Continued

SCHEDULE NO. AC - 2

FACILITIES FOR INTRASTATE ACCESS

3. ORDERING OPTIONS FOR FIA - Continued

3.1 General - Continued

3.1.1 Ordering Conditions - Continued

If a billing dispute arises or a regulatory commission questions the customer's estimate of the projected intrastate/interstate percentage of traffic, the Utility will ask the customer to provide the data the customer uses to determine the percentages. The customer will supply the requested data within 30 days of the Utility's request.

The customer shall keep records of system design and functions from which the percentage of interstate and intrastate use can be ascertained and upon request of the Utility make the records available for inspection as reasonably necessary for purposes of verification of the percentages.

- (F) An ASR is required from the customer to add 1+ coin traffic from an end office. At the customer's option, the ASR can be issued at a 1+ coin tandem or end office level. For an initial customer order at a 1+ coin tandem, the Utility must receive the request at least 120 calendar days prior to the requested effective date. Standard provisioning intervals will apply to subsequent orders involving that 1+ coin tandem.

The customer must provide the Utility with written notification stating that an order is being submitted pursuant to an agreement with a secondary service provider prior to the routing of 1+ interLATA coin traffic to a provider other than the customer.

(N)

(N)

Continued

Material omitted now shown on Original Sheet 67.2.

SCHEDULE NO. AC - 2

FACILITIES FOR INTRASTATE ACCESS

3. ORDERING OPTIONS FOR FIA - Continued

3.1 General - Continued

3.1.1 Ordering Conditions - Continued

(G) (Reserved for Future Use)

(H) (Reserved for Future Use)

(I) (Reserved for Future Use)

(J) (Reserved for Future Use)

(K) (Reserved for Future Use)

(L) When ordering SS7 Out of Band Signaling as described in 4.2.5(A)(A), the customer shall provide an ASR specifying a reference to existing CCS7 Access service facilities or a reference to a related ASR for CCS7 Access Service as described in GTOC Tariff FCC No. 1. The customer's ASR shall also include STP point codes, STP location identifier codes, FGD or BSA-D trunk or 800/888 Service Access trunk circuit identification codes, and switch type. When ordering SS7 Out of Band Signaling for FGD or BSA-D, the customer shall specify that all traffic carried by that FGD or BSA-D will be equipped with out of band signaling. The customer shall work cooperatively with the Utility to determine the number of CCS7 access service connections required to handle the customer's SS7 Out of Band Signaling traffic. (T)

(M) (Reserved for Future Use)

(N) (Reserved for Future Use)

Continued

SCHEDULE NO. AC - 2

FACILITIES FOR INTRASTATE ACCESS

3. ORDERING OPTIONS FOR FIA - Continued

3.1 General - Continued

3.1.1 Ordering Conditions - Continued

- (O) When ordering FGD or BSA-D Switched Access with 950-XXXX Access as described in 4.2.5(T), the customer shall provide an ASR specifying which 950-XXXX access code(s) are to be routed and the FGD or BSA-D Switched Access Service over which resulting originating 950-XXXX access code calls are to be routed. (C)

3.1.2 Provision of Other Services

- (A) At the option of a customer, Recording and Processing, Additional Labor, Telecommunications Service Priority System (TSP), Testing and Special Routing services may be ordered with a FIA Order at the same time the order is accepted by the Utility. Such requests will be considered to be supplemental to the FIA or Planned FIA Order. The rates and charges for these services will apply in addition to the ordering charges and the rates and charges for the Switched Access, Special Access, or Planned FIA with which they are associated. (C)

Continued

SCHEDULE NO. AC - 2

FACILITIES FOR INTRASTATE ACCESS

3. ORDERING OPTIONS FOR FIA - Continued

3.1 General - Continued

3.1.2 Provision of Other Services - Continued

(B) The items listed in (A) may subsequently be added to the order at any time, up to and including the service date established by the ASR. When ordered subsequently, charges for ASR modifications as described in 3.2.2 will apply.

(T)
|
(T)

3.1.3 Special Construction

The regulations, rates and charges for Special Construction are in addition to the regulations, rates and charges specified in this section.

3.2 Access Service Request

An Access Service Request is used by the Utility to receive orders for the following types of FIA requested by the customer:

(T)

- Switched Access as described in Section 4,
- Special Access as described in Section 5 and
- Other Services as described in other sections of this tariff.

(T)

3.2.1 Service Date Intervals

(T)
(T)
(T)

The time required to provision service is known as the service date interval. Such intervals will be established in accordance with published service date interval guidelines which are available to customers upon request. The service date interval guidelines will apply to Access Service Requests and will specify the quantities of FIA that can be provided on the same service date. The customer may request a service date other than that established pursuant to the service date interval guidelines. The Utility, where possible, will establish the service date in accordance with such request, subject to other applicable provisions of this tariff.

Continued

SCHEDULE NO. AC - 2

FACILITIES FOR INTRASTATE ACCESS

3. ORDERING OPTIONS FOR FIA - Continued

3.2 Access Service Request - Continued

(T)

Continued

SCHEDULE NO. AC - 2

FACILITIES FOR INTRASTATE ACCESS

3. ORDERING OPTIONS FOR FIA - Continued

3.2 Access Service Request - Continued

3.2.2 ASR Modifications

The customer may request a modification of its ASR Order prior to the service date. The Utility will make every effort to accommodate a requested modification when it is able to do so with the normal work force assigned to complete such an order within normal business hours. If the modification cannot be made with the normal work force during normal business hours, the Utility will notify the customer. If the customer still desires the ASR modification, the Utility will schedule a new service date. All charges for ASR modifications will apply on a per occurrence basis. Where a new ASR may be required the appropriate charges for FGA or BSA-A; as specified in other sections of this tariff will be applicable.

Any increase in the number of Switched Access lines for FGA or BSA-A; trunks or BHMCs for FGB, FGC, FGD, BSA-B, BSA-C, BSA-D and SAC Access Service or Special Access circuits will require the issuance of a new ASR for the incremental capacity.

(A) Service Date Change Charge (USOC-SUM)

ASR Order service dates may be changed; however, a Service Date Change Charge will apply for each service date change after the plant test date on the ASR.

The new service date may not exceed the original service date by more than 30 days. If the requested service date is more than 30 days after the original service date, the ASR will be canceled by the Utility and cancellation charges in 3.2.6 will apply. A new ASR will be issued with a new service date.

(T)

(C)

(D)

SCHEDULE NO. AC - 2

FACILITIES FOR INTRASTATE ACCESS

3. ORDERING OPTIONS FOR FIA - Continued

3.2 Access Service Request - Continued

3.2.2 FIA Order Modifications - Continued

(A) Service Date Change Charge - Continued

For Special Access, except as specified below, the new service date may not exceed the original service date by more than 30 calendar days. If the requested service date is more than 30 calendar days after the original service date, the ASR will be canceled by the Utility Company. Cancellation charges in 3.2.6 will apply and the ASR will be reissued with the new service date unless the customer indicates that billing for the service is to commence as in 3.2.6(A).

With the agreement of the Utility, a new service date may be established that is prior to the original service date and the provisions in 3.2.2(D) will apply in addition to the Service Date Change Charge.

(B) Partial Cancellation Charge

Any decrease in the number of Switched Access lines for FGA or BSA-A; trunks or BHMC for FGB, FGC, FGD, BSA-B, BSA-C, BSA-D and SAC Access Service or Special Access circuits will be treated as a partial cancellation.

A customer may cancel any number of Special Access Circuits. For Switched Access Services, the capacity canceled may be subject to the Minimum Capacity Requirements as specified in 3.5.

(C)
(C)

Continued

SCHEDULE NO. AC - 2

FACILITIES FOR INTRASTATE ACCESS

3. ORDERING OPTIONS FOR FIA - Continued

3.2 Access Service Request - Continued

(T)

3.2.2 FIA Order Modifications - Continued

(B) Partial Cancellation Charge - Continued

(N)

When a customer partially cancels the service ordered on an ASR, charges will apply as follows:

- (1) Except as specified in 3.2.6(D), when an ASR for Switched Access Service is partially cancelled on or after the Scheduled Issue Date, the cancellation charge will apply.
- (2) When an ASR for Special Access Service is partially cancelled on or after the Scheduled Issue Date and before the Plant Test Date, the cancellation charge will apply.

(N)

Continued

SCHEDULE NO. AC - 2

FACILITIES FOR INTRASTATE ACCESS

3. ORDERING OPTIONS FOR FIA - Continued

3.2 Access Service Request - Continued

(T)

3.2.2 FIA Order Modifications - Continued

(C) Discontinuance of Service

(N)

A customer may discontinue FIA that is in service at any time. The request for discontinuance of service must be received by the Utility at least two business days prior to the date on which service is to be disconnected and billing discontinued. The request may be verbal or written, however, a verbal request must be followed, within ten days, by written confirmation. The written confirmation serves as a confirmation of the verbal request rather than a request itself.

The customer must notify the Utility of a delay or cancellation in the discontinuance request prior to the disconnect date. The Utility where possible, will change the disconnect date in accordance with such a request. Billing and service will then continue until the new requested disconnect date. If a service is discontinued prior to the expiration of the Minimum Period in 3.2.4, the Minimum Period Charges in 3.2.5, may apply. For Switched Access Service, the capacity discontinued may be subject to the Minimum Capacity Requirements in 3.5.

(N)

Continued

SCHEDULE NO. AC - 2

FACILITIES FOR INTRASTATE ACCESS

3. ORDERING OPTIONS FOR FIA - Continued

3.2 Access Service Request - Continued

3.2.2 FIA Order Modifications - Continued

(C) Design Chance Charges

The customer may request a design change to a pending ASR for both Switched and Special Access or request a change to an existing Switched Access Service. A design change is a change which requires engineering review. The regulations, rates and charges for a design change are found in Section 4.5.2(A)(b) for Switched Access Service, and Section 5.6.1(D)(3) for Special Access Service, and are in addition to the regulations, rates and charges specified in this section.

(C)

(C)

(D)

(D)

Continued

SCHEDULE NO. AC - 2

FACILITIES FOR INTRASTATE ACCESS

3. ORDERING OPTIONS FOR FIA - Continued

3.2 Access Service Request - Continued (T)

3.2.2 FIA Order Modifications - Continued

(E) Requests for Expedition (T)

A customer may request an expedited service date. When this situation occurs, charges will be applicable as specified in 6.2. The Utility will provide an estimate of the charges to the customer. The customer must accept the price estimate prior to the Utility performing the expedite. The actual charges billed to the customer will be no more than 10 percent over the estimate. (C)

3.2.3 Selection of Planned Facilities for FIA Orders (C)

(A) (Reserved for Future Use)

(B) Requests for a specific circuit is not an option of the customer except as provided for under Special Facilities Routing of FIA in Section 9. (D)
(D)

3.2.4 Minimum Period (T)

(A) The minimum period for which Special Access is provided and for which charges are applicable is one month, except as specified in (D). (T)

(B) The Minimum Period of Miscellaneous Services is in Section 6.

(C) The Minimum Period for Ancillary Services is in Section 8. (C)
(C)

(L) Material previously shown on Original Sheet No. 74. (N)
(N)

(T)(L)
(T)(L)

Continued

SCHEDULE NO. AC - 2

FACILITIES FOR INTRASTATE ACCESS

3. ORDERING OPTIONS FOR FIA - Continued

3.2 Access Service Request - Continued

3.2.4 Minimum Period - Continued

(D) The Minimum Period for temporary videoband and program audio Special Access is the minimum period for which rates are established in Section 5.7 and 5.8.

(E) The Minimum Period for FIA provided under Special Construction provisions and for which charges are applicable is in Section 10.

(F) The Minimum Period for FGA, FGB, FGC, BSA-A, BSA-B, BSA-C, SAC Access Service, and for FGD or BSA-D ordered after the conversion of an end office to equal access is three months. For the application of the minimum period charges for Switched Access Service FGB, FGC, BSA-B, BSA-C SAC Access Service, and for FGD or BSA-D ordered after the conversion of an end office to equal access, it is assumed the last identical capacity placed in service is the first one discontinued.

(C)
(C)

(C)
(C)

3.2.5 Minimum Period Monthly Charges

When FIA is discontinued prior to the expiration of the minimum period, charges are applicable for the remaining month(s) and/or fraction thereof of the minimum period.

(D)
|
(D)

Continued

SCHEDULE NO. AC - 2

FACILITIES FOR INTRASTATE ACCESS

3. ORDERING OPTIONS FOR FIA - Continued

3.2 Access Service Request - Continued

(T)

3.2.5 Minimum Period Monthly Charges - Continued

(L)

The Minimum Period Monthly Charge will be determined as follows:

(A) (Reserved for Future Use)

(T)(L)

(B) For Special Access the charge is the applicable monthly rate for the service(s) in 5.7.

(T)

(C) (Reserved for Future Use)

(T)

(D) For FGD ordered prior to conversion of an end office to equal access, but canceled after the equal access conversion date, the Cancellation Charge in 3.2.6 applies.

(T)

(E) For part-time or occasional program audio Special Access services, the rates in 5.7.6 through 5.7.9 will apply.

(N)

(F) For FGA and FGB type services where measurement equipment is not available, the charge for each remaining month and/or fraction thereof will be equal to the applicable Minimum Monthly Charge in 4.5.2(C) applies.

(N)

(L) Material previously shown on Original Sheet No. 74.

Continued

SCHEDULE NO. AC - 2

FACILITIES FOR INTRASTATE ACCESS

3. ORDERING OPTIONS FOR FIA - Continued

3.2 Access Service Request - Continued

(T)

3.2.6 Cancellation of a FIA Order

- (A) A customer may cancel an ordered FIA on any date prior to the service date. The cancellation date is the date the Utility receives written or verbal notice from the customer that the order is to be cancelled. The verbal notice must be followed by written confirmation within ten days.

(T)

For Switched Access, if a customer is unable to accept service within 30 calendar days of the original service date, the ASR shall be considered canceled and charges in (C) and (D) will apply. In such instances, the cancellation date shall be the 31st calendar day beyond the original service date of the ASR.

(C)

For Special Access, if a customer is unable to accept service within 30 calendar days of the original service date, the customer has the choice of the following options:

(C)

- the Special Access ASR shall be canceled and charges in will apply, or
- billing for the service will commence.

(N)

In either case, the cancellation date or the billing date shall commence on the 31st calendar day beyond the original service date of the ASR.

(N)

Material omitted now shown in a different form on Original Sheet No. 75.1.

Continued

SCHEDULE NO. AC - 2

FACILITIES FOR INTRASTATE ACCESS

3. ORDERING OPTIONS FOR FIA - Continued

3.2 Access Service Request - Continued

(T)

3.2.6 Cancellation of a FIA Order

(B) ASR costs are considered to have started when the Utility incurs any cost in connection therewith or in preparation thereof which would not otherwise have been incurred. The costs include, but are not limited to preliminary engineering, orders to suppliers and other similar items of cost. For purposes of determining cancellation charges, the costs are considered to have started the day the Utility is scheduled to issue the confirmed ASR to all associated work groups. For all ASRs this is known as the Scheduled Issue Date. The customer will be notified of the applicable critical date interval on the Firm Order Confirmation (FOC) Date. The cancellation charges will not apply until the customer is notified of such charges.

(T)(L)

(T) |
(N)(L)

(C) When a customer cancels an ASR for the installation of new service, or an ASR to modify to existing service, charges will apply as follows:

(1) When an ASR for Switched Access Service is canceled on or after the Scheduled Issue Date, all nonrecurring charges associated with the Switched Access ASR, will apply as specified in 4.5.2(A)(2)(a).

(N)

(2) When an ASR for Special Access Service is canceled on or after the Scheduled Issue Date and before the Plant Test Date, the appropriate Service Ordering Charge will apply as specified in 5.6.1(D)(1).

(C)(L)

(C)(L)

(L) Material previously shown on Original Sheet No. 75.

Continued

SCHEDULE NO. AC - 2

FACILITIES FOR INTRASTATE ACCESS

3. ORDERING OPTIONS FOR FIA - Continued

3.2 Access Service Request - Continued

(T)

3.2.6 Cancellation of a FIA Order - Continued

(C) Continued

(2) Continued

When an ASR for Special Access Service is canceled on or after the Plant Test Date, the Installation Charges will apply as specified in 5.6.1(D), plus any Installation Charges associated with supplemental features or multiplexing arrangements.

(N)

- (3) When a customer chooses to commence billing rather than cancel an ASR for Special Access as in (A), the customer must submit an ASR prior to calendar day 31 from the original service date and request a service date change. The new service date may not exceed the original service date by more than 120 calendar days. Charges in 3.2.2(A) will apply for each subsequent service date change request after calendar day 31, not to exceed 120 calendar days.

When a customer elects to commence billing, monthly recurring charges will begin accruing at calendar day 31 after the original service date. Upon completion of the ASR, the initial bill for Special Access Service will include these accrued charges and any additional nonrecurring charges in addition to billable charges specified in 2.4.1(C).

(N)

Continued

SCHEDULE NO. AC - 2

FACILITIES FOR INTRASTATE ACCESS

3. ORDERING OPTIONS FOR FIA - Continued

3.2 Access Service Request - Continued

(T)

3.2.6 Cancellation of a FIA Order - Continued

(C) Continued

(3) Continued

If the ASR is not completed within 121 calendar days of the original service date, the ASR will be canceled. Cancellation charges in (C)(2) will apply. In addition, the customer will be billed the accrued monthly recurring charges specified above plus any additional nonrecurring charges applicable for the Special Access Service. These charges will be computed commencing at day 31 after the original service date up to and including the cancellation date, not to exceed 90 days of service (120 days from the original service date). The Utility will not reissue an ASR with a new service date beyond 121 calendar days. It will be the customer's responsibility to submit a new ASR for Special Access Service.

(N)

(N)

Continued

SCHEDULE NO. AC - 2

FACILITIES FOR INTRASTATE ACCESS

3. ORDERING OPTIONS FOR FIA - Continued

3.2 Access Service Request - Continued

(T)

3.2.6 Cancellation of a FIA Order - Continued

(D) (Reserved for Future Use)

(D)

(D)

3.3 Access Service Requests For Services Provided By More Than One Utility

(N)

(A) Switched or Special Access Services provided by more than one utility are services where one end of the Switched Transport or Special Transport service is in the operating territory of one utility and the other end of the service is in the operating territory of a different utility.

The ordering procedure for this service is as specified in (1) and (2). The utility will notify the customer, identifying which ordering procedures will apply.

(1) Single Company Billing

The utility receiving the ASR from the customer will arrange to provide the service and bill the customer as specified in 2.7.2. The customer will place the ASR with the utility as follows:

(N)

(D)

(D)

Continued

SCHEDULE NO. AC - 2

FACILITIES FOR INTRASTATE ACCESS

3. ORDERING OPTIONS FOR FIA - Continued

3.3 Access Service Requests For Services Provided By More Than
One Utility

(N)

(A) Continued

(1) Continued

(a) For Switched Access Services the customer will place the ASR with the utility in whose territory the following is located:

- FGA - dial tone office

When the preceding is not in the same utility's territory as the customer designated location (CDL), the customer must supply a copy of the ASR to the utility in whose territory the CDL is located.

(2) Meet Point Billing

Each utility will provide its portion of the Switched Transport or Special Transport Service within its operating territory to the meet point with the other utility. The BP will be determined by the utilities involved in providing the FIA service.

For all Switched Access Services and all Special Access Services the order will be placed with the utility based upon industry guidelines.

(N)

(D)

(D)

Continued

SCHEDULE NO. AC - 2

FACILITIES FOR INTRASTATE ACCESS

3.

(D)

(D)

Continued

SCHEDULE NO. AC - 2

FACILITIES FOR INTRASTATE ACCESS

3.

(D)

(D)

Continued

SCHEDULE NO. AC - 2

FACILITIES FOR INTRASTATE ACCESS

3.

(D)

(D)

Continued

SCHEDULE NO. AC - 2

FACILITIES FOR INTRASTATE ACCESS

3.

(D)

(D)

Continued

SCHEDULE NO. AC - 2

FACILITIES FOR INTRASTATE ACCESS

3.

(D)

(D)

Continued

SCHEDULE NO. AC - 2

FACILITIES FOR INTRASTATE ACCESS

3.

(D)

(D)

Continued

SCHEDULE NO. AC - 2

FACILITIES FOR INTRASTATE ACCESS

3.

(D)

(D)

Continued

SCHEDULE NO. AC - 2

FACILITIES FOR INTRASTATE ACCESS

3.

(D)

(D)

Continued

SCHEDULE NO. AC - 2

FACILITIES FOR INTRASTATE ACCESS

3.

(D)

(D)

Continued

SCHEDULE NO. AC - 2

FACILITIES FOR INTRASTATE ACCESS

3.

(D)

(D)

Continued

SCHEDULE NO. AC - 2

FACILITIES FOR INTRASTATE ACCESS

3. ORDERING OPTIONS FOR FIA - Continued

		(D)
		(D)
3.4	(Reserved for Future Use)	(T)
3.5	<u>Switched Access Minimum Capacity Requirements</u>	(T)
3.5.1	When a customer orders Switched Access, it will be provided subject to the minimum capacity provisions in 3.5.2 through 3.5.5.	(T)
		(T)
3.5.2	There is no minimum capacity for Interface Arrangements 1 and 2. However for Interface Arrangements 3 through 10 the minimum capacity is in 3.5.5.	(T)
		(T)
3.5.3	(Reserved for Future Use)	(T)
3.5.4	For the purpose of administering the minimum capacity provisions, different Switched Access feature groups for the same customer may be grouped together if the facilities provided for all the connections are the same and terminate in the same facilities terminal in the same Utility access tandem or end office.	(T)
		(T)
		(T)

Continued

SCHEDULE NO. AC - 2

FACILITIES FOR INTRASTATE ACCESS

3. ORDERING OPTIONS FOR FIA - Continued

3.5 Switched Access Minimum Capacity Requirements - Continued

3.5.5 The following table provides the total capacity of the interface and the thresholds for minimum ASR requirements. When the customer requests one of the following, it is required to order sufficient lines for FGA, and sufficient BHMCs for FGB, FGC, FGD, BSA-B, BSA-C, BSA-D and SAC Access Service to satisfy the minimum capacity.

(C)

When the customer requests more than one of the same Interface Arrangements, it is required to meet the total minimum capacity of all such Interface Arrangements.

<u>Interface Arrangement</u>	<u>Interface Type</u>	<u>Interface Name</u> (circuits)	<u>Total Capacity</u> (circuits)	<u>Minimum Capacity</u>
1	Voice Frequency	2-Wire	1	NA
2	Voice Frequency	4-Wire	1	NA
3	Analog	Group	12	9
4	Analog	Supergroup	60	42
5	Analog	Mastergroup	600	420
6	Digital	DS1	24	17
7	Digital	DS1C	48	34
8				
9	Digital	DS3	672	471
10	Digital	DS3C	1344	941

Continued

SCHEDULE NO. AC - 2

FACILITIES FOR INTRASTATE ACCESS

3. ORDERING OPTIONS FOR FIA - Continued

3.6 RATES

(T)

(A) FIA Order, service date change
charge

Charge

(T)

\$76.05

(D)

(D)

Continued