SPECIAL CONSTRUCTION
Check Sheet

The Title Page and Pages 1 through 30-3 inclusive of this tariff are effective as of the date shown.

Page	Number of Revisions Except as Indicated	Page	Number of Revisions Except as Indicated	Page	Number of Revisions Except as Indicated
Title Page 1	13th	2-11	1st	3-26.6	4th
Title Page 2	4th	2-12	3rd	3-26.7	2nd
		2-13	1st	3-26.8	4th
1	439th*	2-14	1st	3-26.9	5th
2	232nd	2-15	1st	3-26.10	6th
2.1	20th	2-16	1st	3-26.11	6th
3	199th			3-26.12	5th
3.1	197th	3-1	2nd	3-26.13	4th
3.2	5th	3-2	3rd	3-26.14	3rd
4	302nd	3-3	2nd	3-26.15	3rd
4.1	177th	3-4	2nd	3-26.16	6th
5	145th	3-4.1	4th	3-26.17	5th
5.1	11th	3-4.2	5th	3-26.18	7th
6	Original	3-4.3	2nd	3-26.19	3rd
7	1st	3-5	1st	3-26.20	1st
8	2nd	3-6	1st	3-26.21	2nd
9	4th	3-7	1st	3-27	3rd
10	14th	3-8	1st	3-28	4th
10.1	2nd	3-9	1st	3-29	7th
11	17th	3-10	1st	3-29.1	6th
11.1	10th	3-11	1st	3-29.2	8th
12	2nd	3-12	1st	3-29.3	7th
13	3rd	3-13	1st	3-29.4	1st
14	2nd	3-14	1st	3-29.5	2nd
15	3rd	3-15	1st	3-29.6	1st
16	2nd	3-16	1st	3-29.7	2nd
17	10th	3-17	1st	3-30	1st
18	7th	3-18	1st	3-31	2nd
19	Original	3-19	1st	3-32	6th
20	5th	3-20	5th	3-33	9th
		3-21	8th	3-33.1	5th
1-1	Original	3-22	7th	3-33.2	4th
		3-23	5th	3-34	2nd
2-1	2nd	3-24	5th	3-35	2nd
2-2	1st	3-25	7th	3-36	2nd
2-3	2nd	3-25.1	9th	3-37	2nd
2-3.1	1st*	3-25.2	7th	3-38	4th
2-4	1st	3-26	7th		
2-5	1st	3-26.1	3rd		
2-6	1st	3-26.2	7th		
2-7	1st	3-26.3	5th		
2-8	1st	3-26.4	4th		
2-9	1st	3-26.5	3rd		
2-10	1st				

*Indicates new or revised page

Vice President, Federal Regulatory
1300 I Street, NW, Washington, D.C. 20005

SPECIAL CONSTRUCTION
Check Sheet

Page	Number of Revisions Except as Indicated	Page	Number of Revisions Except as Indicated
4-100	4th	4-151	2nd
4-101	2nd	4-152	Original
4-102	4th	4-153	1st
4-103	3rd	4-154	1st
4-104	7th	4-155	1st
4-105	4th	4-156	Original
4-106	2nd	4-157	1st
4-107	6th	4-158	Original
4-108	4th	4-159	Original
4-109	4th	4-160	2nd
4-110	2nd	4-161	2nd
4-111	2nd	4-162	1st
4-112	4th	4-163	Original
4-113	6th	4-164	Original
4-114	3rd	4-165	1st
4-115	3rd	4-166	3rd
4-116	5th	4-167	Original*
4-117	6th		
4-118	3rd	5-1	1st
4-119	3rd	5-2	1st
4-120	3rd	5-3	1st
4-121	5th	5-4	1st
4-122	3rd	5-5	1st
4-123	6th	5-6	1st
4-124	3rd	5-7	6th
4-125	4th	5-8	4th
4-126	4th	5-9	3rd
4-127	5th	5-10	3rd
4-128	3rd	5-11	4th
4-129	5th	5-12	6th
4-130	5th	5-13	5th
4-131	3rd	5-14	5th
4-132	3rd	5-15	5th
4-133	1st		
4-134	Original		
4-135	Original		
4-136	2nd		
4-137	Original		
4-138	1st		
4-139	1st		
4-140	2nd		
4-141	Original		
4-142	1st		
4-143	1st		
4-144	1st		
4-145	Original		
4-146	1st		
4-147	1st		
4-148	Original		
4-149	Original		
4-150	1st		
4-151	2nd		

*Indicates new or revised page

Vice President, Federal Regulatory
1300 I Street, NW, Washington, D.C. 20005

SPECIAL CONSTRUCTION
Check Sheet

Page	Number of Revisions Except as Indicated	Page	Number of Revisions Except as Indicated
4-1	1st	4-50	1st
4-2	11th	4-51	1st
4-2.1	3rd*	4-52	1st
4-3	1st	4-53	1st
4-4	1st	4-54	1st
4-5	1st	4-55	1st
4-6	1st	4-56	1st
4-7	1st	4-57	1st
4-8	1st	4-58	1st
4-9	1st	4-59	1st
4-10	1st	4-60	1st
4-11	1st	4-61	1st
4-12	1st	4-62	1st
4-13	1st	4-63	1st
4-14	1st	4-64	1st
4-15	1st	4-65	1st
4-16	1st	4-66	1st
4-17	1st	4-67	1st
4-18	1st	4-68	1st
4-19	1st	4-69	1st
4-20	1st	4-70	1st
4-21	1st	4-71	7th
4-22	1st	4-72	9th
4-23	1st	4-73	6th
4-24	1st	4-74	4th
4-25	1st	4-75	3rd
4-26	1st	4-76	3rd
4-27	1st	4-77	3rd
4-28	1st	4-78	3rd
4-29	1st	4-79	3rd
4-30	1st	4-80	4th
4-31	1st	4-81	7th
4-32	1st	4-82	3rd
4-33	1st	4-83	8th
4-34	1st	4-84	4th
4-35	1st	4-85	5th
4-36	1st	4-86	7th
4-37	1st	4-87	6th
4-38	1st	4-88	4th
4-39	1st	4-89	5th
4-40	1st	4-90	4th
4-41	1st	4-91	7th
4-42	1st	4-92	4th
4-43	1st	4-93	5th
4-44	1st	4-94	6th
4-45	1st	4-95	4th
4-46	1st	4-96	3rd
4-47	1st	4-97	8th
4-48	1st	4-98	5th
4-49	3rd	4-99	4th

*Indicates new or revised page

Vice President, Federal Regulatory
1300 I Street, NW, Washington, D.C. 20005

SPECIAL CONSTRUCTION
Check Sheet

Page	Number of Revisions Except as Indicated	Page	Number of Revisions Except as Indicated	Page	Number of Revisions Except as Indicated
5-16	3rd	6-9	1st	7-36	1st
5-17	6th	6-10	1st	7-37	3rd
5-18	3rd	6-11	1st	7-38	2nd
5-19	3rd	6-12	1st	7-39	2nd
5-20	4th	6-13	1st	7-40	2nd
5-21	5th	6-14	1st	7-41	4th
5-22	3rd	6-15	1st	7-42	2nd
5-23	1st	6-16	1st	7-43	2nd
5-24	5th	6-17	5th	7-44	2nd
5-25	5th	6-18	4th	7-45	1st
5-26	5th	6-19	3rd	7-46	4th
5-27	4th	6-20	2nd	7-47	2nd
5-28	7th	6-21	5th	7-48	2nd
5-29	5th	6-22	5th	7-49	7th
5-30	5th	6-23	4th	7-50	1st
5-31	2nd	6-24	2nd	7-51	4th
5-32	5th			7-52	1st
5-33	6th	7-1	2nd	7-53	4th
5-34	2nd	7-2	2nd	7-54	6th
5-35	1st	7-3	2nd	7-55	3rd
5-36	2nd	7-4	2nd	7-56	2nd
5-37	3rd	7-5	2nd	7-57	2nd
5-38	1st	7-6	2nd	7-58	4th
5-39	1st	7-7	2nd	7-59	6th
5-40	Original	7-8	3rd	7-60	4th
5-41	1st	7-9	2nd	7-61	3rd
5-42	Original	7-10	2nd	7-62	4th
5-43	1st	7-11	2nd	7-63	6th
5-44	1st	7-12	2nd	7-64	3rd
5-45	3rd	7-13	5th	7-65	7th
5-46	Original	7-14	2nd	7-66	6th
5-47	Original	7-15	2nd	7-67	4th
5-48	Original	7-16	2nd	7-68	5th
5-49	1st	7-17	2nd	7-69	4th
5-50	1st	7-18	2nd	7-70	5th
5-51	1st	7-19	2nd	7-71	6th
5-52	Original	7-20	2nd	7-72	4th
5-53	1st	7-21	2nd	7-73	4th
5-54	1st	7-22	2nd	7-74	5th
		7-23	2nd	7-75	4th
6-1	1st	7-24	2nd	7-76	2nd
6-2	1st	7-25	3rd	7-77	Original
6-3	1st	7-26	2nd	7-78	3rd
6-4	1st	7-27	3rd	7-79	3rd
6-5	1st	7-28	2nd	7-80	2nd
6-6	1st	7-29	2nd	7-81	1st
6-7	1st	7-30	2nd	7-82	2nd
6-8	1st	7-31	4th	7-83	1st
		7-32	2nd	7-84	1st*
		7-33	3rd	8-1	2nd
		7-34	4th	8-2	2nd
		7-35	3rd	8-3	2nd

*Indicates new or revised page

SPECIAL CONSTRUCTION
Check Sheet

Page	Number of Revisions Except as Indicated	Page	Number of Revisions Except as Indicated	Page	Number of Revisions Except as Indicated
8-4	2nd	8-59	2nd	10-15	2nd
8-5	2nd	8-60	5th	10-16	2nd
8-6	2nd	8-61	4th	10-17	2nd
8-7	2nd	8-62	1st	10-18	3rd
8-8	2nd	8-63	5th	10-19	2nd
8-9	2nd	8-64	3rd	10-20	2nd
8-10	4th	8-65	8th	10-21	3rd
8-11	3rd	8-66	5th	10-22	5th
8-12	2nd	8-67	8th	10-23	2nd
8-13	2nd	8-68	8th	10-24	3rd
8-14	2nd	8-69	3rd	10-25	2nd
8-15	2nd	8-70	5th	10-26	2nd
8-16	2nd	8-71	6th	10-27	2nd
8-17	2nd	8-72	6th	10-28	2nd
8-18	2nd	8-73	3rd	10-29	2nd
8-19	2nd	8-74	2nd	10-30	2nd
8-20	2nd	8-75	4th	10-31	2nd
8-21	2nd	8-76	3rd	10-32	2nd
8-22	2nd	8-77	2nd	10-33	2nd
8-23	2nd	8-78	2nd	10-34	2nd
8-24	2nd	8-79	2nd	10-35	2nd
8-25	2nd	8-80	1st	10-36	2nd
8-26	2nd	8-81	Original	10-37	2nd
8-27	2nd	8-82	1st	10-38	2nd
8-28	2nd	8-83	1st	10-39	2nd
8-29	5th	8-84	2nd	10-40	2nd
8-30	2nd	8-85	1st	10-41	3rd
8-31	4th	8-86	2nd	10-42	3rd
8-32	4th	8-87	1st	10-43	2nd
8-33	2nd	8-88	1st	10-44	2nd
8-34	2nd	8-89	4th*	10-45	1st
8-35	5th	9-1	3rd	10-46	4th
8-36	1st	9-2	2nd	10-47	3rd
8-37	2nd	9-3	3rd	10-48	6th
8-38	3rd	9-4	3rd	10-49	4th
8-39	2nd	9-5	3rd	10-50	3rd
8-40	2nd	9-6	3rd		
8-41	2nd	9-7	8th		
8-42	1st	9-8	6th		
8-43	3rd	9-9	3rd		
8-44	2nd	9-10	2nd		
8-45	2nd	10-1	2nd		
8-46	4th	10-2	2nd		
8-47	6th	10-3	2nd		
8-48	6th	10-4	2nd		
8-49	5th	10-5	2nd		
8-50	5th	10-6	2nd		
8-51	2nd	10-7	2nd		
8-52	5th	10-8	2nd		
8-53	2nd	10-9	2nd		
8-54	5th	10-10	2nd		
8-55	4th	10-11	2nd		
8-56	7th	10-12	2nd		
8-57	4th	10-13	2nd		
8-58	6th	10-14	2nd		

*Indicates new or revised page

SPECIAL CONSTRUCTION
Check Sheet

Page	Number of Revisions Except as Indicated	Page	Number of Revisions Except as Indicated	Page	Number of Revisions Except as Indicated
10-50.1	4th	11-1	2nd		
10-50.2	3rd	11-2	3rd		
10-50.3	2nd	11-3	2nd		
10-50.4	3rd	11-4	4th		
10-50.5	5th	11-5	6th		
10-50.6	4th	11-6	6th		
10-50.7	6th	11-7	6th		
10-50.8	4th	11-8	5th		
10-50.9	3rd	11-9	4th		
10-50.10	3rd	11-10	3rd		
10-50.11	5th				
10-50.12	2nd				
10-50.13	6th				
10-50.14	5th				
10-50.15	6th				
10-50.16	3rd				
10-50.17	6th				
10-50.18	5th				
10-50.19	6th				
10-51	11th				
10-51.1	7th				
10-52	9th				
10-53	9th				
10-54	7th				
10-55	10th				
10-56	8th				
10-57	9th				
10-58	9th				
10-59	1st				
10-60	1st				
10-61	Original				
10-62	Original				
10-63	2nd				
10-64	Original				
10-65	4th				
10-66	2nd				
10-67	2nd				
10-68	2nd*				

*Indicates new or revised page

SPECIAL CONSTRUCTION
Check Sheet

Page	Number of Revisions Except as Indicated	Page	Number of Revisions Except as Indicated	Page	Number of Revisions Except as Indicated
12-1	7th	12-41	3rd	14-4.10	3rd
12-2	4th	12-42	3rd	14-4.11	5th
12-2.1	3rd	12-43	2nd	14-4.12	7th
12-2.2	4th	12-44	5th	14-4.13	5th
12-2.3	7th	12-45	2nd	14-4.14	7th
12-2.4	5th	12-46	5th	14-4.15	6th
12-2.5	5th	12-47	3rd	14-4.16	6th
12-2.6	1st	12-48	4th	14-4.17	2nd
12-3	6th	12-49	2nd	14-5	5th
12-4	4th	12-50	4th	14-6	5th
12-4.1	4th	12-51	4th	14-7	8th
12-5	8th	12-52	4th	14-8	6th
12-6	7th	12-53	4th	14-9	4th
12-7	8th	12-54	6th		
12-8	4th	12-55	3rd	15-1	1st
12-9	6th	12-56	4th	15-2	1st
12-10	3rd	12-57	5th	15-3	1st
12-11	4th	12-58	5th	15-3.1	3rd
12-12	3rd	12-59	5th	15-3.2	5th
12-13	3rd	12-60	4th	15-3.3	4th
12-14	2nd	12-61	1st	15-3.4	7th
12-15	3rd	13-1	3rd	15-3.5	8th
12-16	4th	14-1	6th	15-3.6	8th
12-17	3rd	14-1.1	2nd	15-3.7	3rd
12-18	3rd	14-2	8th	15-3.8	9th
12-19	4th	14-2.1	5th	15-3.9	4th
12-20	3rd	14-3	6th	15-3.10	5th
12-21	3rd	14-3.1	4th	15-3.11	2nd
12-22	2nd	14-3.2	5th	15-3.12	2nd
12-23	3rd	14-3.3	5th	15-3.13	2nd
12-24	3rd	14-3.4	5th	15-3.14	2nd
12-25	1st	14-3.5	4th	15-3.15	3rd
12-26	3rd	14-3.6	4th	15-3.16	3rd
12-27	2nd	14-3.7	5th	15-3.17	Original*
12-28	1st	14-3.8	4th	15-4	2nd
12-29	2nd	14-3.9	6th	15-5	2nd
12-30	1st	14-3.10	4th	15-6	4th
12-31	2nd	14-3.11	3rd	15-6.1	6th
12-32	3rd	14-3.12	7th	15-6.2	4th
12-33	3rd	14-3.13	5th	15-6.3	3rd
12-34	5th	14-3.14	5th	15-7	8th
12-35	3rd	14-3.15	7th	15-7.1	1st
12-36	2nd	14-4	6th	15-7.2	5th
12-37	3rd	14-4.1	7th	15-7.3	4th
12-38	2nd	14-4.2	3rd	15-7.4	7th
12-39	4th	14-4.3	4th	15-7.5	2nd
12-40	2nd	14-4.4	5th	15-8	4th
		14-4.5	2nd	15-9	6th
		14-4.6	2nd	15-9.1	3rd
		14-4.7	2nd	15-10	3rd
		14-4.8	4th		
		14-4.9	6th		

*Indicates new or revised page

Vice President, Federal Regulatory
1300 I Street, NW, Washington, D.C. 20005

SPECIAL CONSTRUCTION
Check Sheet

Page	Number of Revisions Except as Indicate
16-1	6th
16-2	4th
16-3	3rd
16-4	4th
16-5	4th
16-6	4th
16-7	4th
16-8	4th
16-9	3rd
16-10	3rd
16-11	3rd
16-12	3rd
16-13	4th
16-14	4th
16-15	2nd
16-16	2nd
16-17	4th
16-18	4th
16-19	4th
16-20	5th
16-21	2nd
16-22	5th
16-23	1st
16-24	4th
16-25	4th
16-26	3rd
16-27	3rd
16-28	4th
16-29	2nd
16-30	1st
16-31	4th
16-32	5th
16-33	5th
16-34	2nd
16-35	4th
16-36	2nd
16-37	2nd
16-38	2nd
16-39	3rd
16-40	2nd
16-41	3rd
16-42	3rd
16-43	3rd
16-44	2nd
16-45	2nd
16-46	3rd
16-47	1st
16-48	3rd
16-49	4th
16-50	1st
16-51	2nd
16-52	3rd
16-53	2nd
16-54	1st
16-55	2nd
16-56	1st
16-57	1st
16-58	3rd
16-59	2nd
16-60	Original
16-61	2nd
16-62	2nd
17-1	16th*
17-1.1	11th*
17-1.2	5th*
17-2	3rd*
17-2.1	1st*
17-3	3rd*
17-4	6th*
17-5	5th*
17-6	4th*
17-7	3rd*
17-8	4th*
17-9	5th*
17-10	3rd*
17-11	3rd*
17-12	6th*
17-13	5th*
17-14	5th*
17-15	7th*
17-16	4th*
17-17	9th*
17-18	7th*
17-19	5th*
17-20	4th*
17-21	6th*
17-22	8th*
17-23	7th*
17-24	6th*
17-25	6th*
17-26	4th*
17-27	3rd*
17-28	4th*
17-29	3rd*
17-30	5th*
17-31	4th*
17-32	5th*
17-33	1st*
17-34	3rd*
17-35	3rd*
17-36	5th*
17-37	2nd*
17-38	4th*
17-39	3rd*
17-40	3rd*
17-41	2nd*
17-42	4th*
17-43	3rd*
17-44	3rd*
17-45	4th*
17-46	2nd*
17-47	5th*
17-48	1st*

*Indicates new or revised page

Vice President, Federal Regulatory
1300 I Street, NW, Washington, D.C. 20005

SPECIAL CONSTRUCTION
Check Sheet

Page	Number of Revisions Except as Indicated	Page	Number of Revisions Except as Indicated	Page	Number of Revisions Except as Indicated
18-1	5th*	18-4.1	4th*		
18-1.1	4th*	18-4.2	4th*		
18-1.2	3rd*	18-4.3	5th*		
18-1.3	4th*	18-4.4	6th*		
18-1.4	1st*	18-4.5	5th*		
18-1.5	5th*	18-4.6	8th*		
18-1.6	4th*	18-4.7	3rd*		
18-1.7	2nd*	18-4.8	5th*		
18-1.8	4th*	18-4.9	2nd*		
18-1.9	2nd*	18-4.10	4th*		
18-1.10	3rd*	18-4.11	4th*		
18-1.11	3rd*	18-4.12	6th*		
18-1.12	2nd*	18-4.13	5th*		
18-1.13	3rd*	18-4.14	2nd*		
18-1.14	2nd*	18-5	6th*		
18-1.15	3rd*	18-5.1	6th*		
18-1.16	5th*	18-5.2	1st*		
18-1.17	3rd*	18-5.3	3rd*		
18-1.18	5th*	18-5.4	6th*		
18-1.19	2nd*	18-5.5	4th*		
18-1.20	4th*	18-5.6	1st*		
18-1.21	3rd*	18-5.7	3rd*		
18-1.22	5th*	18-5.8	1st*		
18-1.23	4th*	18-5.9	6th*		
18-1.24	4th*	18-5.10	4th*		
18-1.25	5th*	18-5.11	6th*		
18-1.26	5th*	18-5.12	5th*		
18-1.27	5th*	18-6	5th*		
18-1.28	4th*	18-6.1	7th*		
18-1.29	4th*	18-6.2	8th*		
18-1.30	5th*	18-7	5th*		
18-1.31	3rd*	18-7.1	4th*		
18-1.32	5th*	18-7.2	2nd*		
18-1.33	6th*	18-8	5th*		
18-1.34	6th*	18-9	7th*		
18-1.35	5th*	18-10	6th*		
18-1.36	4th*	18-11	7th*		
18-2	4th*	18-12	6th*		
18-2.1	6th*	18-12.1	5th*		
18-2.2	4th*	18-12.2	3rd*		
18-2.3	7th*	18-12.3	5th*		
18-2.4	6th*	18-12.4	2nd*		
18-3	9th*	18-12.5	3rd*		
18-3.1	5th*	18-12.6	1st*		
18-3.2	6th*	18-12.7	3rd*		
18-3.3	6th*	18-12.8	6th*		
18-3.4	4th*	18-12.9	5th*		
18-4	8th*	18-12.10	6th*		
		18-13	2nd*		

*Indicates new or revised page

Vice President, Federal Regulatory
1300 I Street, NW, Washington, D.C. 20005

SPECIAL CONSTRUCTION
Check Sheet

Page	Number of Revisions Except as Indicated	Page	Number of Revisions Except as Indicated	Page	Number of Revisions Except as Indicated
19-1	9th	23-26	1st	24-1	1st
19-2	5th	23-27	1st	24-2	1st
19-3	1st	23-28	1st	24-3	1st
19-4	1st	23-29	1st	24-4	1st
19-5	1st	23-30	2nd	24-5	1st
19-6	1st	23-31	3rd	24-6	1st
19-7	1st	23-32	1st	24-7	1st
19-8	1st	23-33	2nd	24-8	1st
19-9	1st	23-34	1st	24-9	1st
19-10	7th*	23-35	1st	24-10	1st
		23-36	1st	24-11	1st
20-1	3rd	23-37	1st		
		23-38	1st	25-1	1st
21-1	1st	23-39	1st	25-2	1st
		23-40	1st	25-3	1st
22-1	1st	23-41	1st		
		23-42	1st	26-1	1st
23-1	2nd	23-43	1st		
23-2	2nd	23-44	2nd	27-1	1st
23-3	2nd	23-45	1st	27-2	1st
23-4	2nd	23-46	1st	27-3	1st
23-5	2nd	23-47	1st	27-4	1st
23-6	2nd			27-5	1st
23-7	2nd				
23-8	2nd			28-1	1st
23-9	2nd			28-2	1st
23-10	2nd			28-3	1st
23-11	2nd			28-4	1st
23-12	2nd				
23-13	2nd			29-1	1st
23-14	2nd				
23-15	2nd			30-1	1st
23-16	2nd			30-2	1st
23-17	2nd			30-3	1st
23-18	3rd				
23-19	2nd				
23-20	3rd				
23-21	1st				
23-22	1st				
23-23	1st				
23-24	1st				
23-25	1st				

*Indicates new or revised page

Vice President, Federal Regulatory
1300 I Street, NW, Washington, D.C. 20005