

Verizon Pennsylvania Inc.

ALTERNATE SERVING WIRE CENTER

H

H

H


1. GENERAL

Alternate Serving Wire Center (ASWC) is an optional feature which provides a direct transmission path (via a Fiber Optic Feeder Cable) for a service between the customer's designated premises and a serving wire center separate from the normal serving wire center.

2. TERMS AND CONDITIONS

- The Telephone Company will designate the serving wire center to be used as the alternate. The ASWC feature is available where contiguous wire center serving areas with interconnecting fiber feeder routes exist. Where facilities are not available, special construction rates may apply. Where service is available, provisioning is based on a negotiated interval.
- The rate for Alternate Serving Wire Center, as specified following, applies per point of termination, and is in addition to the normal rates and charges for each service provided over the alternate path. Channel Mileage, if applicable, for the alternately routed service is based on mileage measured from or to the alternate serving wire center.

Example: Rate application for a High Capacity service connecting two customer premises via ASWC at one end.



Rate Elements

2 Local Channels (LC)
Channel Mileage (CM)
1 ASWC

Applicable Charges

Monthly and nonrecurring
Monthly
Monthly

Verizon Pennsylvania Inc.

ALTERNATE SERVING WIRE CENTER

2. TERMS AND CONDITIONS (Cont'd)

- c. The optional ASWC feature is in addition to the basic underlying service and must be combined with the listed rate element of either of the following services:

(1) High Capacity DS1 at 1.544 Megabits per second (Mbps)

- per Local Channel.
- The applicable Cell for the Local channel is based on the location of the customer premises. Interoffice Mileage is measured from or to the alternate serving wire center.

(2) **IntelliLinQ®** PRI at 1.544 Mbps

- per Primary Rate Access Facility

(3) Business Dial Tone Line - Multi-Line Subscriber

- first 96 per group of 24 lines
- over 96 per individual line
- Available with analog 2-wire or digital (1.544 Mbps) interface.

The digital interface is a simultaneous two-way transmission medium using serial, bipolar, return-to-zero, isochronous, alternating mark inversion format.

The digital interface at the customer premises must conform with Technical Publication TR000054 at the Digital Signal-1 (DS-1) level.

When digital interface is ordered with Business Dial Tone Lines, the customer must specify which lines are to be connected to each channel of the digital interface facility. Any future additions or changes to channel assignments must be coordinated with the Telephone Company.

- ASWC is not available with Coin service.

- d. The customer premises and the ASWC must be located in the serving territory of the Telephone Company.

Verizon Pennsylvania Inc.

ALTERNATE SERVING WIRE CENTER

2. TERMS AND CONDITIONS (Cont'd)

- e. In addition to the limitation of availability based on interconnecting facilities, all availability conditions for the underlying service described above also apply.
- f. All other terms and conditions of the underlying service described above apply.

3. RATES FOR ALTERNATE SERVING WIRE CENTER

a. Rate Regulations

- (1) ASWC must be ordered with groups of 24 Business multi-lines through the first 96 lines. After 96 lines, additional service can be ordered in any quantity required.
- (2) All rates and charges for Local Exchange service are based on those of the wire center providing dial-tone.
- (3) When dial-tone is ordered and provided from a wire center other than the ASWC, regulations in Section 12 of this Tariff for Type 2005 and 2006 channels apply for the mileage charges from the ASWC to the wire center providing the dial-tone.
- (4) Any future additions, disconnects or changes may not result in less than 24 business multi-lines per group for a point of termination with 96 or less lines.

b. Rates

	Monthly Rates
DS1 / 1.544 Mbps - per point of termination	\$ 25.00
H H H	
IntelliLinQ® PRI / 1.544 Mbps - per point of termination	25.00
Business Dial Tone Line - multi-line subscriber - per point of termination; analog 2-wire or digital (1.544 Mbps) interface	
First 96 lines Each 24 line group	170.00
Over 96 lines Each line	7.00